

## REFERENCES

- Abd-Elsalam, W. H., El-Zahaby, S. A., and Al-Mahallawi, A. M., (2018), "Formulation and in Vivo Assessment of Terconazole-Loaded Polymeric Mixed Micelles Enriched with Cremophor EL as Dual Functioning Mediator for Augmenting Physical Stability and Skin Delivery", *Drug Delivery*, 25(1), pp. 484–492. doi: 10.1080/10717544.2018.1436098.
- Abd, E., *et al.*, (2016), "Skin Models for the Testing of Transdermal Drugs", *Clinical Pharmacology: Advances and Applications*, 8, pp. 163–176. doi: 10.2147/CPAA.S64788.
- Abdelbary, A. A., and Aboughaly, M. H. H., (2015), "Design and Optimization of Topical Methotrexate Loaded Niosomes for Enhanced Management of Psoriasis: Application of Box-Behnken Design, in-Vitro Evaluation and in-Vivo Skin Deposition Study", *International Journal of Pharmaceutics*, 485, pp. 235–243. doi: 10.1016/j.ijpharm.2015.03.020.
- Abolmaali, S. S., *et al.*, (2017), "Block Ionomer Micellar Nanoparticles from Double Hydrophilic Copolymers, Classifications and Promises for Delivery of Cancer Chemotherapeutics", *European Journal of Pharmaceutical Sciences*, pp. 393–405. doi: 10.1016/j.ejps.2017.04.009.
- Agarwal, A., Kharb, V., and Saharan, V. A., (2014), "Process Optimisation, Characterisation and Evaluation of Resveratrol- Phospholipid Complexes Using Box-Behnken Statistical Design", *International Current Pharmaceutical Journal*, 3(7), pp. 301–308.
- Agarwal, R., Katare, O. P., and Vyas, S. P., (2001), "Preparation and in Vitro Evaluation of Liposomal/Niosomal Delivery Systems for Antipsoriatic Drug Dithranol", *International Journal of Pharmaceutics*, 228(1–2), pp. 43–52. doi: 10.1016/S0378-5173(01)00810-9.
- Ahad, A., *et al.*, (2013), "Enhanced Transdermal Delivery of an Anti-Hypertensive Agent via Nanoethosomes: Statistical Optimization, Characterization and Pharmacokinetic Assessment", *International Journal of Pharmaceutics*, 443(1–2), pp. 26–38. doi: 10.1016/j.ijpharm.2013.01.011.
- Ahmad Sharabati, A.-A., *et al.*, (2018), "A Novel Approach for Polysaccharide Based

- Aerogels Preparation as a Drug Carrier", *Merit Research Journal of Medicine and Medical Sciences*, 6(7), pp. 231–240.
- Antônio Dantas Silva, L., *et al.*, (2012), "In Vitro Skin Penetration of Clobetasol from Lipid Nanoparticles: Drug Extraction and Quantitation in Different Skin Layers", *Brazilian Journal of Pharmaceutical Sciences*, 48, pp. 811–817.
- Arora, D., *et al.*, (2011), "Oral Immunization against Hepatitis B Virus Using", *International Journal of Recent Advances in Pharmaceutical Research*, 1, pp. 45–51.
- Arora, D., *et al.*, (2016), "Quality by Design ( QbD ) Approach for Optimization and Development of Nano Drug Delivery Systems", *Trends in Drug Delivery*, 3(3), pp. 23–32.
- Arora, D., Khurana, B., and Nanda, S., (2020), "DoE Directed Optimization, Development and Evaluation of Resveratrol Loaded Ultradeformable Vesicular Cream for Topical Antioxidant Benefits", *Drug Development and Industrial Pharmacy*, 46(2), pp. 227–235. doi: 10.1080/03639045.2020.1716373.
- Arora, D., and Nanda, S., (2019), "Quality by Design Driven Development of Resveratrol Loaded Ethosomal Hydrogel for Improved Dermatological Benefits via Enhanced Skin Permeation and Retention", *International Journal of Pharmaceutics*, 567. doi: 10.1016/j.ijpharm.2019.118448.
- Avasatthi, V., *et al.*, (2016), "A Novel Nanogel Formulation of Methotrexate for Topical Treatment of Psoriasis: Optimization, in Vitro and in Vivo Evaluation", *Pharmaceutical Development and Technology*, 21(5), pp. 554–562. doi: 10.3109/10837450.2015.1026605.
- Baboota, S., *et al.*, (2011), "Nanocarrier-Based Hydrogel of Betamethasone Dipropionate and Salicylic Acid for Treatment of Psoriasis", *International Journal of Pharmaceutical Investigation*, 1, pp. 139–147. doi: 10.4103/2230-973x.85963.
- Badıllı, U., Şen, T., and Tarımcı, N., (2011), "Microparticulate Based Topical Delivery System of Clobetasol Propionate", *AAPS PharmSciTech*, (12), pp. 949–957. doi: 10.1208/s12249-011-9661-7.
- Baroli, B., *et al.*, (2000), "Microemulsions for Topical Delivery of 8-Methoxsalen", *Journal of Controlled Release*, 69, pp. 209–218. doi: 10.1016/S0168-3659(00)00309-6.

- Battaglia, L., *et al.*, (2012), "Lipid Nanosystems in Topical PUVA Therapy", *Journal of Dispersion Science and Technology*, 33, pp. 565–569. doi: 10.1080/01932691.2011.567864.
- Beg, S., *et al.*, (2018), "QbD-Driven Development and Evaluation of Nanostructured Lipid Carriers (NLCs) of Olmesartan Medoxomil Employing Multivariate Statistical Techniques", *Drug Development and Industrial Pharmacy*, 44(3), pp. 407–420. doi: 10.1080/03639045.2017.1395459.
- Behera, J., *et al.*, (2010), "Methoxsalen Loaded Chitosan Coated Microemulsion for Effective Treatment of Psoriasis", *International Journal of Drug Delivery*, pp. 159–167. doi: 10.5138/ijdd.2010.0975.0215.02025.
- Benson, H. A. E., *et al.*, (2019), "Topical and Transdermal Drug Delivery: From Simple Potions to Smart Technologies", *Current Drug Delivery*, 16(5), pp. 444–460. doi: 10.2174/1567201816666190201143457.
- Bhoir, S. S., Vishwapathi, V., and Singh, K. K., (2019), "Antipsoriatic Potential of Annona Squamosa Seed Oil: An in Vitro and in Vivo Evaluation", *Phytomedicine*, 54, pp. 265–277. doi: 10.1016/j.phymed.2018.07.003.
- Bikkad, M. L., *et al.*, (2014), "Halobetasol Propionate-Loaded Solid Lipid Nanoparticles (SLN) for Skin Targeting by Topical Delivery", *Journal of Liposome Research*, 24, pp. 113–123. doi: 10.3109/08982104.2013.843192.
- Caddeo, C., *et al.*, (2013), "Nanocarriers for Antioxidant Resveratrol: Formulation Approach, Vesicle Self-Assembly and Stability Evaluation", *Colloids and Surfaces B: Biointerfaces*, 111, pp. 327–32. doi: 10.1016/j.colsurfb.2013.06.016.
- Caddeo, C., *et al.*, (2016), "Effect of Quercetin and Resveratrol Co-Incorporated in Liposomes against Inflammatory/Oxidative Response Associated with Skin Cancer", *International Journal of Pharmaceutics*, 513(1–2), pp. 153–163. doi: 10.1016/j.ijpharm.2016.09.014.
- Carlson, L. J., *et al.*, (2014), "Polymeric Micellar Co-Delivery of Resveratrol and Curcumin to Mitigate in Vitro Doxorubicin-Induced Cardiotoxicity", *Journal of Pharmaceutical Sciences*, 103(8), pp. 2315–2322. doi: 10.1002/jps.24042.
- Cavalli, R., *et al.*, (1999), "Solid Lipid Nanoparticles as Carriers of Hydrocortisone and Progesterone Complexes with  $\beta$ -Cyclodextrins", *International Journal of*

- Pharmaceutics, 182, pp. 59–69. doi: 10.1016/S0378-5173(99)00066-6.
- Cevc, G., and Blume, G., (2004), “Hydrocortisone and Dexamethasone in Very Deformable Drug Carriers Have Increased Biological Potency, Prolonged Effect, and Reduced Therapeutic Dosage”, *Biochimica et Biophysica Acta - Biomembranes*, 1663, pp. 61–73. doi: 10.1016/j.bbamem.2004.01.006.
- Chedea, V. S., *et al.*, (2017), “Resveratrol: From Diet to Topical Usage”, *Food and Function*, 8(11), pp. 3879–3892. doi: 10.1039/c7fo01086a.
- Chen, J., *et al.*, (2017), “Development and Evaluation of Resveratrol, Vitamin E, and Epigallocatechin Gallate Loaded Lipid Nanoparticles for Skin Care Applications”, *European Journal of Pharmaceutics and Biopharmaceutics*, 117, pp. 286–291. doi: 10.1016/j.ejpb.2017.04.008.
- de Brito Oliveira, A. L., *et al.*, (2017), “Resveratrol Role in Autoimmune Disease—a Mini-Review”, *Nutrients*, 9(12). doi: 10.3390/nu9121306.
- Degim, I. T., (2006), “New Tools and Approaches for Predicting Skin Permeability”, *Drug Discovery Today*, 11(11–12), pp. 517–523. doi: 10.1016/j.drudis.2006.04.006.
- Dhawan, S., and Nanda, S., (2018), “In-Vitro Estimation of Photo-Protective Potential of Pomegranate Seed Oil and Development of a Nanoformulation”, *Current Nutrition & Food Science*, 14, pp. 1–16. doi: 10.2174/1573401314666180223134235.
- Docherty, J. J., *et al.*, (2004), “Effect of Topically Applied Resveratrol on Cutaneous Herpes Simplex Virus Infections in Hairless Mice”, *Antiviral Research*, 61, pp. 19–26. doi: 10.1016/j.antiviral.2003.07.001.
- Dubey, V., *et al.*, (2007), “Dermal and Transdermal Delivery of an Anti-Psoriatic Agent via Ethanolic Liposomes”, *Journal of Controlled Release*, 123, pp. 148–154. doi: 10.1016/j.jconrel.2007.08.005.
- Ebrahim Attia, A. B., *et al.*, (2011), “Mixed Micelles Self-Assembled from Block Copolymers for Drug Delivery”, *Current Opinion in Colloid and Interface Science*, 16, pp. 182–94. doi: 10.1016/j.cocis.2010.10.003.
- El-darouti, M., and Hay, R. A., (2010), “Psoriasis: Highlights on Pathogenesis, Adjuvant Therapy and Treatment of Resistant and Problematic Cases (Part I)”, *J Egypt Women Dermatol Soc*, pp. 64–67.
- El-Leithy, E. S., *et al.*, (2018), “Optimization of Nutraceutical Coenzyme Q10

- Nanoemulsion with Improved Skin Permeability and Anti-Wrinkle Efficiency", *Drug Development and Industrial Pharmacy*, 44(2), pp. 316–328. doi: 10.1080/03639045.2017.1391836.
- Fang, J. Y., *et al.*, (2008), "Lipid Nanoparticles as Vehicles for Topical Psoralen Delivery: Solid Lipid Nanoparticles (SLN) versus Nanostructured Lipid Carriers (NLC)", *European Journal of Pharmaceutics and Biopharmaceutics*, 70, pp. 633–640. doi: 10.1016/j.ejpb.2008.05.008.
- Fares, A. R., Elmeshad, A. N., and Kassem, M. A. A., (2018), "Enhancement of Dissolution and Oral Bioavailability of Lacidipine via Pluronic P123/F127 Mixed Polymeric Micelles: Formulation, Optimization Using Central Composite Design and in Vivo Bioavailability Study", *Drug Delivery*, 25(1), pp. 132–142. doi: 10.1080/10717544.2017.1419512.
- Fesq, H., *et al.*, (2003), "Improved Risk-Benefit Ratio for Topical Triamcinolone Acetonide in Transfersome® in Comparison with Equipotent Cream and Ointment: A Randomized Controlled Trial", *British Journal of Dermatology*, 149, pp. 611–619. doi: 10.1046/j.1365-2133.2003.05475.x.
- Friedrich, R. B., *et al.*, (2008), "Development and Physicochemical Characterization of Dexamethasone-Loaded Polymeric Nanocapsule Suspensions", *Quimica Nova*, (31), pp. 1131–36. doi: 10.1590/S0100-40422008000500038.
- Gambhire, M. S., Bhalekar, M. R., and Gambhire, V. M., (2011), "Statistical Optimization of Dithranol-Loaded Solid Lipid Nanoparticles Using Factorial Design", *Brazilian Journal of Pharmaceutical Sciences*, 47, pp. 503–511. doi: 10.1590/S1984-82502011000300008.
- Garcia-Peterson, L. M., *et al.*, (2017), "Sirtuins in Skin and Skin Cancers", *Skin Pharmacology and Physiology*, 30(4), pp. 216–224. doi: 10.1159/000477417.
- Gilliet, M., *et al.*, (2004), "Psoriasis Triggered by Toll-like Receptor 7 Agonist Imiquimod in the Presence of Dermal Plasmacytoid Dendritic Cell Precursors", *Archives of Dermatology*, 140, pp. 1490–1495. doi: 10.1001/archderm.140.12.1490.
- Gómez-Gaete, C., *et al.*, (2007), "Encapsulation of Dexamethasone into Biodegradable Polymeric Nanoparticles", *International Journal of Pharmaceutics*, 331, pp. 153–159. doi: 10.1016/j.ijpharm.2006.11.028.

- Guo, J., *et al.*, (2000), "Lecithin Vesicular Carriers for Transdermal Delivery of Cyclosporin A", *International Journal of Pharmaceutics*, 194, pp. 201–207. doi: 10.1016/S0378-5173(99)00361-0.
- Gupta, M., Agrawal, U., and Vyas, S. P., (2012), "Nanocarrier-Based Topical Drug Delivery for the Treatment of Skin Diseases", *Expert Opinion on Drug Delivery*, 9(7), pp. 783–804. doi: 10.1517/17425247.2012.686490.
- Gupta, V., *et al.*, (2013), "In Vivo Antioxidant Activity of Topical Cream of Cassia Tora L Leaves Extract ", *Dataset Papers in Pharmacology*, 2013, pp. 1–5. doi: 10.7167/2013/243949.
- Gurumukhi, V. C., and Bari, S. B., (2020) *Fabrication of efavirenz loaded nano-formulation using quality by design (QbD) based approach: Exploring characterizations and in vivo safety*, *Journal of Drug Delivery Science and Technology*. Elsevier B.V. doi: 10.1016/j.jddst.2020.101545.
- Hangun-balkir, Y., and Mckenney, M. L., (2012), "Determination of Antioxidant Activities of Berries and Resveratrol", *Green Chemistry Letters and Reviews*, 5(2), pp. 147–153. doi: 10.1080/17518253.2011.603756.
- Herbig, M. E., and Evers, D. H., (2013), "Correlation of Hydrotropic Solubilization by Urea with Log D of Drug Molecules and Utilization of This Effect for Topical Formulations", *European Journal of Pharmaceutics and Biopharmaceutics*, 85(1), pp. 158–160. doi: 10.1016/j.ejpb.2013.06.022.
- Herneisey, M., *et al.*, (2019), "Development of Theranostic Perfluorocarbon Nanoemulsions as a Model Non-Opioid Pain Nanomedicine Using a Quality by Design (QbD) Approach", *AAPS PharmSciTech*, 20(2). doi: 10.1208/s12249-018-1287-6.
- Hung, C. F., *et al.*, (2008), "Delivery of Resveratrol, a Red Wine Polyphenol, from Solutions and Hydrogels via the Skin", *Biological and Pharmaceutical Bulletin*, 31(5), pp. 955–62. doi: 10.1248/bpb.31.955.
- Imam, S. S., *et al.*, (2017), "Formulation by Design Based Risperidone Nano Soft Lipid Vesicle as a New Strategy for Enhanced Transdermal Drug Delivery: In-Vitro Characterization, and in-Vivo Appraisal", *Materials Science and Engineering C*, 75, pp. 1198–1205. doi: 10.1016/j.msec.2017.02.149.

- International Conference on Harmonisation of Technical Requirements for Registration of Pharmaceuticals for Human Use, (2009), "Pharmaceutical Development Q8(R2)", ICH Harmonised Tripartite Guideline. doi: 10.1111/eff.12061.
- Ishihara, T., *et al.*, (2005), "Role of Zinc in Formulation of PLGA/PLA Nanoparticles Encapsulating Betamethasone Phosphate and Its Release Profile", *Journal of Controlled Release*, 105(1–2), pp. 68–76. doi: 10.1016/j.jconrel.2005.02.026.
- Jain, S., Mittal, A., and K. Jain, A., (2011), "Enhanced Topical Delivery of Cyclosporin-A Using PLGA Nanoparticles as Carrier", *Current Nanoscience*, 7, pp. 524–530. doi: 10.2174/157341311796196835.
- Jaiswal, M., Dudhe, R., and Sharma, P. K., (2015), "Nanoemulsion: An Advanced Mode of Drug Delivery System", *Biotech*, pp. 123–127. doi: 10.1007/s13205-014-0214-0.
- Johnson, W., (2007), "Final Report on the Safety Assessment of Capsicum Annuum Extract, Capsicum Annuum Fruit Extract, Capsicum Annuum Resin, Capsicum Annuum Fruit Powder, Capsicum Frutescens Fruit, Capsicum Frutescens Fruit Extract, Capsicum Frutescens Resin, and Capsaicin", *International Journal of Toxicology*, pp. 3–106. doi: 10.1080/10915810601163939.
- Kahraman, E., *et al.*, (2016), "Polymeric Micellar Nanocarriers of Benzoyl Peroxide as Potential Follicular Targeting Approach for Acne Treatment", *Colloids and Surfaces B: Biointerfaces*, 146, pp. 692–699. doi: 10.1016/j.colsurfb.2016.07.029.
- Kalam, M. A., *et al.*, (2016), "Delivery of Gatifloxacin Using Microemulsion as Vehicle : Formulation , Evaluation , Transcorneal Permeation and Aqueous Humor Drug Determination Evaluation , Transcorneal Permeation and Aqueous Humor Drug", *Drug Delivery*, 23(3), pp. 886–897. doi: 10.3109/10717544.2014.920432.
- Kalariya, M., *et al.*, (2005), "Clobetasol Propionate Solid Lipid Nanoparticles Cream for Effective Treatment of Eczema: Formulation and Clinical Implications", *Indian Journal of Experimental Biology*, 43, pp. 233–240.
- Kaur, A., *et al.*, (2017), "Nanoemulsion Loaded Gel for Topical Co-Delivery of Clobetasol Propionate and Calcipotriol in Psoriasis", *Nanomedicine: Nanotechnology, Biology, and Medicine*, 13(4), pp. 1473–1482. doi: 10.1016/j.nano.2017.02.009.
- Kharia, A. A., and Singhai, A. K., (2013), "Screening of Most Effective Variables for



- Development of Gastroretentive Mucoadhesive Nanoparticles by Taguchi Design", ISRN Nanomaterials. doi: 10.1155/2013/348095.
- Khurana, B., *et al.*, (2010), "SiRNA Delivery Using Nanocarriers - An Efficient Tool for Gene Silencing", *Current Gene Therapy*, 10(2). doi: 10.2174/156652310791111010.
- Khurana, B., *et al.*, (2013), "Lipoplexes versus Nanoparticles: PDNA/SiRNA Delivery", *Drug Delivery*, 20(2), pp. 57–64. doi: 10.3109/10717544.2012.752419.
- Khurana, B., Arora, D., and Narang, R., (2018), "Topical Delivery of Nanoemulsion for Antipsoriatic Drugs", *Journal of Drug Delivery and Therapeutics*, 8(5-s), pp. 1–11. doi: 10.22270/jddt.v8i5-s.1914.
- Khurana, S., Bedi, P. M. S., and Jain, N. K., (2013), "Preparation and Evaluation of Solid Lipid Nanoparticles Based Nanogel for Dermal Delivery of Meloxicam", *Chemistry and Physics of Lipids*, 175–176, pp. 65–72. doi: 10.1016/j.chemphyslip.2013.07.010.
- Khurana, S., Jain, N. K., and Bedi, P. M. S., (2013), "Nanoemulsion Based Gel for Transdermal Delivery of Meloxicam: Physico-Chemical, Mechanistic Investigation", *Life Sciences*, 92(6–7), pp. 383–92. doi: 10.1016/j.lfs.2013.01.005.
- Kim, M. K., *et al.*, (1998), "Delivery of Hydrocortisone from Liposomal Suspensions to the Hairless Mouse Skin Following Topical Application under Non-Occlusive and Occlusive Conditions", *Journal of Microencapsulation*, 15, pp. 21–29. doi: 10.3109/02652049809006832.
- Kim, S. T., *et al.*, (2009), "Topical Administration of Cyclosporin A in a Solid Lipid Nanoparticle Formulation", *Pharmazie*, 64, pp. 510–514. doi: 10.1691/ph.2009.8373.
- Kjær, T. N., *et al.*, (2015), "Resveratrol Ameliorates Imiquimod-Induced Psoriasis-like Skin Inflammation in Mice", *PLoS ONE*, 10(5), pp. 1–18. doi: 10.1371/journal.pone.0126599.
- Knudsen, N. Ø., *et al.*, (2012), "Calcipotriol Delivery into the Skin with PEGylated Liposomes", *European Journal of Pharmaceutics and Biopharmaceutics*, 81, pp. 532–539. doi: 10.1016/j.ejpb.2012.04.005.
- Körbel, J. N., *et al.*, (2001), "Enhancement of the Antiparakeratotic Potency of Calcitriol and Tacalcitol in Liposomal Preparations in the Mouse Tail Test", *Skin Pharmacology and Applied Skin Physiology*, 14, pp. 291–295. doi: 10.1159/000056359.



- Kulthe, S. S., *et al.*, (2011), "Mixed Micelle Formation with Hydrophobic and Hydrophilic Pluronic Block Copolymers: Implications for Controlled and Targeted Drug Delivery", *Colloids and Surfaces B: Biointerfaces*, 88, pp. 691–6. doi: 10.1016/j.colsurfb.2011.08.002.
- Kumar, R., Deep, G., and Agarwal, R., (2015), "An Overview of Ultraviolet B Radiation-Induced Skin Cancer Chemoprevention by Silibinin", *Current Pharmacology Reports*, 1(3), pp. 206–215. doi: 10.1007/s40495-015-0027-9.
- Lapteva, M., Mondon, K., *et al.*, (2014), "Polymeric Micelle Nanocarriers for the Cutaneous Delivery of Tacrolimus: A Targeted Approach for the Treatment of Psoriasis", *Molecular Pharmaceutics*, 11(9), pp. 2989–3001. doi: 10.1021/mp400639e.
- Lapteva, M., Santer, V., *et al.*, (2014), "Targeted Cutaneous Delivery of Ciclosporin A Using Micellar Nanocarriers and the Possible Role of Inter-Cluster Regions as Molecular Transport Pathways", *Journal of Controlled Release*, 196, pp. 9–18. doi: 10.1016/j.jconrel.2014.09.021.
- Lee, J. H., *et al.*, (2016), "Resveratrol Induces Human Keratinocyte Damage via the Activation of Class III Histone Deacetylase, Sirt1", *Oncology Reports*, 35(1), pp. 524–529. doi: 10.3892/or.2015.4332.
- Lee, R., Shenoy, D., and Sheel, R., (2010), "Micellar Nanoparticles: Applications for Topical and Passive Transdermal Drug Delivery", *Handbook of Non-Invasive Drug Delivery Systems*, p. 37. doi: <http://dx.doi.org/10.1016/B978-0-8155-2025-2.10002-2>.
- Lei, W., *et al.*, (2013), "Development of Tacrolimus-Loaded Transfersomes for Deeper Skin Penetration Enhancement and Therapeutic Effect Improvement in Vivo", *Asian Journal of Pharmaceutical Sciences*, 8(6), pp. 336–345. doi: 10.1016/j.ajps.2013.09.005.
- Li, G., *et al.*, (2012), "Tacrolimus-Loaded Ethosomes: Physicochemical Characterization and in Vivo Evaluation", *European Journal of Pharmaceutics and Biopharmaceutics*, 82, pp. 49–57. doi: 10.1016/j.ejpb.2012.05.011.
- Lin, Y. K., *et al.*, (2010), "Combination of Calcipotriol and Methotrexate in Nanostructured Lipid Carriers for Topical Delivery", *International Journal of*

- Nanomedicine, 5, pp. 117–128. doi: 10.2147/ijn.s9155.
- Loan Honeywell-Nguyen, P., *et al.*, (2002), “The in Vivo and in Vitro Interactions of Elastic and Rigid Vesicles with Human Skin”, *Biochimica et Biophysica Acta - General Subjects*, 1573, pp. 130–140. doi: 10.1016/S0304-4165(02)00415-4.
- Madan, J., Dua, K., and Khude, P., (2014), “Development and Evaluation of Solid Lipid Nanoparticles of Mometasone Furoate for Topical Delivery”, *International Journal of Pharmaceutical Investigation*, 4, pp. 60–64. doi: 10.4103/2230-973x.133047.
- Makhmalzade, B. S., and Chavoshi, F., (2018a), “Polymeric Micelles as Cutaneous Drug Delivery System in Normal Skin and Dermatological Disorders”, *Journal of Advanced Pharmaceutical Technology and Research*, 9, pp. 2–8. doi: 10.4103/japtr.JAPTR\_314\_17.
- Makhmalzade, B. S., and Chavoshi, F., (2018b), “Polymeric Micelles as Cutaneous Drug Delivery System in Normal Skin and Dermatological Disorders”, *Journal of Advanced Pharmaceutical Technology and Research*. doi: 10.4103/japtr.JAPTR.
- Marepally, S., *et al.*, (2014), “Topical Administration of Dual SiRNAs Using Fusogenic Lipid Nanoparticles for Treating Psoriatic-like Plaques”, *Nanomedicine*, 9, pp. 2157–2174. doi: 10.2217/NNM.13.202.
- Moghddam, S. R. M., *et al.*, (2016), “Formulation and Optimization of Niosomes for Topical Diacerein Delivery Using 3-Factor, 3-Level Box-Behnken Design for the Management of Psoriasis”, *Materials Science and Engineering C*, 69, pp. 789–97. doi: 10.1016/j.msec.2016.07.043.
- Mura, P., *et al.*, (2000), “Evaluation of Transcutol as a Clonazepam Transdermal Permeation Enhancer from Hydrophilic Gel Formulations”, *European Journal of Pharmaceutical Sciences*, 9(4), pp. 365–72. doi: 10.1016/S0928-0987(99)00075-5.
- Na Takuathung, M., *et al.*, (2018), “Antipsoriatic Effects of Wannachawee Recipe on Imiquimod-Induced Psoriasis-Like Dermatitis in BALB/c Mice”, *Evidence-based Complementary and Alternative Medicine*, 2018. doi: 10.1155/2018/7931031.
- Nainwal, N., *et al.*, (2019), “Transdermal Applications of Ethosomes—a Detailed Review”, *Journal of Liposome Research*, pp. 103–113. doi: 10.1080/08982104.2018.1517160.
- Nam, S. H., Ji, X. Y., and Park, J. S., (2011), “Investigation of Tacrolimus Loaded

- Nanostructured Lipid Carriers for Topical Drug Delivery", *Bulletin of the Korean Chemical Society*, 32, pp. 956–960. doi: 10.5012/bkcs.2011.32.3.956.
- Nayak, K., *et al.*, (2018), "Coenzyme Q10 and Retinaldehyde Co-Loaded Nanostructured Lipid Carriers for Efficacy Evaluation in Wrinkles", *Journal of Drug Targeting*, 26(4), pp. 333–344. doi: 10.1080/1061186X.2017.1379527.
- Negi, P., *et al.*, (2015), "Biocompatible Lidocaine and Prilocaine Loaded-Nanoemulsion System for Enhanced Percutaneous Absorption: QbD-Based Optimisation , Dermatokinetics and in Vivo Evaluation", *Journal of Microencapsulation*, 32(05), pp. 419–31. doi: 10.3109/02652048.2015.1046513.
- Negi, P., *et al.*, (2016), "Phospholipid Microemulsion-Based Hydrogel for Enhanced Topical Delivery of Lidocaine and Prilocaine: QbD-Based Development and Evaluation", *Drug Delivery*, 23(3), pp. 951–967. doi: 10.3109/10717544.2014.923067.
- Nichols, J. A., and Katiyar, S. K., (2011), "Polyphenols: Skin Photoprotection and Inhibition of Photocarcinogenesis", *Mini Reviews in Medicinal Chemistry*, 11(14), pp. 1200–15. doi: 10.1007/s00403-009-1001-3.Skin.
- Nickoloff, B. J., and Nestle, F. O., (2004), "Recent Insights into the Immunopathogenesis of Psoriasis Provide New Therapeutic Opportunities", *Journal of Clinical Investigation*, pp. 1664–1675. doi: 10.1172/JCI200422147.
- Özcan, I., *et al.*, (2013), "Comparison of PLGA and Lecithin/Chitosan Nanoparticles for Dermal Targeting of Betamethasone Valerate", *Journal of Drug Targeting*, 21(6), pp. 542–550. doi: 10.3109/1061186X.2013.769106.
- Pahal, S., *et al.*, (2011), "Development of Paclitaxel Loaded Immunonanoparticles for HER-2 Positive Breast Cancer Cells", *International Journal of Recent Advances in Pharmaceutical Research*, 1, pp. 25–39.
- Pangeni, R., Sahni, J. K., *et al.*, (2014), "Resveratrol: Review on Therapeutic Potential and Recent Advances in Drug Delivery", *Expert Opinion on Drug Delivery*, 11(8), pp. 1285–1298. doi: 10.1517/17425247.2014.919253.
- Pangeni, R., Sharma, S., *et al.*, (2014), "Vitamin e Loaded Resveratrol Nanoemulsion for Brain Targeting for the Treatment of Parkinson's Disease by Reducing Oxidative Stress", *Nanotechnology*, 25(48). doi: 10.1088/0957-4484/25/48/485102.

- Patel, N., *et al.*, (2016), "Development of Loteprednol Etabonate-Loaded Cationic Nanoemulsified in-Situ Ophthalmic Gel for Sustained Delivery and Enhanced Ocular Bioavailability", *Drug Delivery*, 23(9), pp. 3712–3723. doi: 10.1080/10717544.2016.1223225.
- Petrilli, R., *et al.*, (2016), "Liquid Crystalline Nanodispersions Functionalized with Cell-Penetrating Peptides for Topical Delivery of Short-Interfering RNAs: A Proposal for Silencing a pro-Inflammatory Cytokine in Cutaneous Diseases", *Journal of Biomedical Nanotechnology*, 12, pp. 1063–1075. doi: 10.1166/jbn.2016.2211.
- Pinto, M. F., *et al.*, (2014), "A New Topical Formulation for Psoriasis: Development of Methotrexate-Loaded Nanostructured Lipid Carriers", *International Journal of Pharmaceutics*, 477, pp. 519–526. doi: 10.1016/j.ijpharm.2014.10.067.
- Prabu, L. S., *et al.*, (2017), "Nanoemulgel for Transdermal Delivery of Cyclobenzaprine Hydrochloride: Design, Characterization and In-Vitro Studies", *Novel Approaches in Drug Designing and Development*, 1(5), pp. 1–16.
- Pradhan, M., Singh, D., and Singh, M. R., (2013), "Novel Colloidal Carriers for Psoriasis: Current Issues, Mechanistic Insight and Novel Delivery Approaches", *Journal of Controlled Release*, 170(3), pp. 380–395. doi: 10.1016/j.jconrel.2013.05.020.
- Pradhan, M., Singh, D., and Singh, M. R., (2015), "Development Characterization and Skin Permeating Potential of Lipid Based Novel Delivery System for Topical Treatment of Psoriasis", *Chemistry and Physics of Lipids*, 186, pp. 9–16. doi: 10.1016/j.chemphyslip.2014.11.004.
- Pradhan, M., Singh, D., and Singh, M. R., (2016), "Influence of Selected Variables on Fabrication of Triamcinolone Acetonide Loaded Solid Lipid Nanoparticles for Topical Treatment of Dermal Disorders", *Artificial Cells, Nanomedicine and Biotechnology*, 44(1), pp. 392–400. doi: 10.3109/21691401.2014.955105.
- Prasad, P. S., *et al.*, (2016), "QbD-Based Carbopol Transgel Formulation: Characterization, Pharmacokinetic Assessment and Therapeutic Efficacy in Diabetes", *Drug Delivery*, 23(3), pp. 1057–1066. doi: 10.3109/10717544.2014.936536.
- Pripem, A., *et al.*, (2015), "Anti-Inflammatory Activity of Topical Anthocyanins by

- Complexation and Niosomal Encapsulation", *International Journal of Chemical and Molecular Engineering*, 9(2), pp. 133–137.
- Rao, G., and Murthy, R. S. R., (2000), "Evaluation of Liposomal Clobetasol Propionatetopical Formulation for Intra-Dermal Delivery", *Indian Journal of Pharmaceutical Sciences*, 62, pp. 459–462.
- Raza, K., *et al.*, (2011), "Novel Dithranol Phospholipid Microemulsion for Topical Application: Development, Characterization and Percutaneous Absorption Studies", *Journal of Microencapsulation*, 28, pp. 190–199. doi: 10.3109/02652048.2010.546435.
- Raza, K., Singh, B., Singla, N., Katare, O. P., *et al.*, (2013), "Nano-Lipoidal Carriers of Isotretinoin with Anti-Aging Potential: Formulation, Characterization and Biochemical Evaluation", *Journal of Drug Targeting*, 21(5), pp. 435–442. doi: 10.3109/1061186x.2012.761224.
- Raza, K., Singh, B., Lohan, S., *et al.*, (2013), "Nano-Lipoidal Carriers of Tretinoin with Enhanced Percutaneous Absorption, Photostability, Biocompatibility and Anti-Psoriatic Activity", *International journal of pharmaceutics*, 456, pp. 65–72. doi: 10.1016/j.ijpharm.2013.08.019.
- Raza, K., Singh, B., Singla, S., Wadhwa, S., *et al.*, (2013), "Nanocolloidal Carriers of Isotretinoin: Antimicrobial Activity against *Propionibacterium Acnes* and Dermatokinetic Modeling", *Molecular Pharmaceutics*, 10(5), pp. 1958–1963. doi: 10.1021/mp300722f.
- Rosado, C., Silva, C., and Reis, C. P., (2013), "Hydrocortisone-Loaded Poly( $\epsilon$ -Caprolactone) Nanoparticles for Atopic Dermatitis Treatment", *Pharmaceutical Development and Technology*, (18), pp. 710–718. doi: 10.3109/10837450.2012.712537.
- Ruihua Wang, (2012), "FK506-Loaded Solid Lipid Nanoparticles: Preparation, Characterization and in Vitro Transdermal Drug Delivery", *African Journal of Pharmacy and Pharmacology*. doi: 10.5897/ajpp11.831.
- Ruivo, J., *et al.*, (2015), "The Main Potentialities of Resveratrol for Drug Delivery Systems", *Brazilian Journal of Pharmaceutical Sciences*, 51(3), pp. 499–513. doi: 10.1590/S1984-82502015000300002.

- Sah, A. K., Jain, S. K., and Pandey, R. S., (2011), "Microemulsion Based Hydrogel Formulation of Methoxsalen for the Effective Treatment of Psoriasis", *Asian Journal of Pharmaceutical and Clinical Research*, 4, pp. 140–145.
- Sahu, S., *et al.*, (2018), "Active Natural Oil-Based Nanoemulsion Containing Tacrolimus for Synergistic Antipsoriatic Efficacy".
- Sailor, G., *et al.*, (2015), "Formulation and in Vitro Evaluation of Berberine Containing Liposome Optimized by 32 Full Factorial Designs", *Journal of Applied Pharmaceutical Science*, 5(7), pp. 23–28. doi: 10.7324/JAPS.2015.50704.
- Salem, H. F., *et al.*, (2019), "Nanosized Nasal Emulgel of Resveratrol: Preparation, Optimization, in Vitro Evaluation and in Vivo Pharmacokinetic Study ", *Drug Development and Industrial Pharmacy*, 0(0), pp. 1–32. doi: 10.1080/03639045.2019.1648500.
- Salim, N., *et al.*, (2016), "Nanoemulsion as a Topical Delivery System of Antipsoriatic Drugs", *RSC Advances*, pp. 6234–6250. doi: 10.1039/c5ra14946k.
- Saydam, M., and Takka, S., (2018), "Development and in Vitro Evaluation of PH-Independent Release Matrix Tablet of Weakly Acidic Drug Valsartan Using Quality by Design Tools", *Drug Development and Industrial Pharmacy*, 44(12), pp. 1905–1917. doi: 10.1080/03639045.2018.1496450.
- Schlupp, P., *et al.*, (2011), "Drug Release and Skin Penetration from Solid Lipid Nanoparticles and a Base Cream: A Systematic Approach from a Comparison of Three Glucocorticoids", *Skin Pharmacology and Physiology*, 24, pp. 199–209. doi: 10.1159/000324053.
- Şenyiğit, T., *et al.*, (2010), "Lecithin/Chitosan Nanoparticles of Clobetasol-17-Propionate Capable of Accumulation in Pig Skin", *Journal of Controlled Release*, 142(3), pp. 368–373. doi: 10.1016/j.jconrel.2009.11.013.
- Sharma, A., *et al.*, (2020), "Squalene Integrated NLC Based Gel of Tamoxifen Citrate for Efficient Treatment of Psoriasis: A Preclinical Investigation: Tamoxifen Citrate Loaded NLC Based Gel for Psoriasis", *Journal of Drug Delivery Science and Technology*, 56, p. 101568. doi: 10.1016/j.jddst.2020.101568.
- Sharma, B., *et al.*, (2019), "Resveratrol - Loaded Nanoemulsion Gel System to Ameliorate UV - Induced Oxidative Skin Damage: From in Vitro to in Vivo

- Investigation of Antioxidant Activity Enhancement", Archives of Dermatological Research, (0123456789). doi: 10.1007/s00403-019-01964-3.
- Shen, Y., and Xu, J., (2019), "Resveratrol Exerts Therapeutic Effects on Mice with Atopic Dermatitis", Wounds, 31(11), pp. 279–284.
- Shinde, G., *et al.*, (2013), "Formulation, Development and Characterization of Nanostructured Lipid Carrier (NLC) Loaded Gel for Psoriasis", Der Pharmacia Lettre, 5, pp. 13–25.
- Simões, A., *et al.*, (2018), "A Practical Framework for Implementing Quality by Design to the Development of Topical Drug Products: Nanosystem-Based Dosage Forms", International Journal of Pharmaceutics, 548(1), pp. 385–399. doi: 10.1016/j.ijpharm.2018.06.052.
- Singh, B., *et al.*, (2011), "Developing Oral Drug Delivery Systems Using Formulation by Design: Vital Precepts, Retrospect and Prospects", Expert Opinion on Drug Delivery, 8(10), pp. 1341–1360. doi: 10.1517/17425247.2011.605120.
- Singh, B., Kumar, R., and Ahuja, N., (2005), "Optimizing Drug Delivery Systems Using Systematic 'Design of Experiments' Part I: Fundamental Aspects", Critical Reviews in Therapeutic Drug Carrier Systems, 22, pp. 27–106. doi: 10.1615/CritRevTherDrugCarrierSyst.v22.i1.20.
- Singh Malik, D., Mital, N., and Kaur, G., (2016), "Topical Drug Delivery Systems: A Patent Review", Expert Opinion on Therapeutic Patents, 26(2), pp. 213–28. doi: 10.1517/13543776.2016.1131267.
- Singka, G. S. L., *et al.*, (2010), "Enhanced Topical Delivery and Anti-Inflammatory Activity of Methotrexate from an Activated Nanogel", European Journal of Pharmaceutics and Biopharmaceutics, (76), pp. 275–281. doi: 10.1016/j.ejpb.2010.06.014.
- Somagoni, J., *et al.*, (2014), "Nanomiengel - A Novel Drug Delivery System for Topical Application - In Vitro and in Vivo Evaluation", PLoS ONE, 9(12), pp. 1–30. doi: 10.1371/journal.pone.0115952.
- Sonal Setya, Sushama Talegaonkar, D. B. K. R., (2014), "Nanoemulsions: Formulation Methods and Stability Aspects", World Journal of Pharmacy and Pharmaceutical Sciences, 3(2), pp. 2214–2228.



- Sonawane, R., *et al.*, (2014), "Solid Lipid Nanoparticles-Loaded Topical Gel Containing Combination Drugs: An Approach to Offset Psoriasis", *Expert Opinion on Drug Delivery*, 11, pp. 1833–1847. doi: 10.1517/17425247.2014.938634.
- Sousa, C., *et al.*, (2019), "Polymeric Micellar Formulation Enhances Antimicrobial and Anticancer Properties of Salinomycin", *Pharmaceutical Research*, 36(6). doi: 10.1007/s11095-019-2615-6.
- Srisuk, P., *et al.*, (2012), "Physico-Chemical Characteristics of Methotrexate-Entrapped Oleic Acid-Containing Deformable Liposomes for in Vitro Transepidermal Delivery Targeting Psoriasis Treatment", *International Journal of Pharmaceutics*, 427, pp. 426–434. doi: 10.1016/j.ijpharm.2012.01.045.
- Thapa, R. K., and Yoo, B. K., (2014), "Evaluation of the Effect of Tacrolimus-Loaded Liquid Crystalline Nanoparticles on Psoriasis-like Skin Inflammation", *Journal of Dermatological Treatment*, 25, pp. 22–25. doi: 10.3109/09546634.2012.755250.
- Torregrosa, A., *et al.*, (2020), "Development of an Emulgel for the Treatment of Rosacea Using Quality by Design Approach", *Drug Development and Industrial Pharmacy*, 46(2), pp. 296–308. doi: 10.1080/03639045.2020.1717515.
- Tripathi, P., *et al.*, (2018), "Carbomer Gel Bearing Methotrexate Loaded Lipid Nanocontainers Shows Improved Topical Delivery Intended for Effective Management of Psoriasis", *International Journal of Biological Macromolecules*, 120, pp. 1322–1334. doi: 10.1016/j.ijbiomac.2018.08.136.
- Trotta, M., *et al.*, (2004), "Deformable Liposomes for Dermal Administration of Methotrexate", *International Journal of Pharmaceutics*, 270, pp. 119–125. doi: 10.1016/j.ijpharm.2003.10.006.
- Vafaei, S. Y., *et al.*, (2015), "Controlled-Release Drug Delivery System Based on Fluocinolone Acetonide-Cyclodextrin Inclusion Complex Incorporated in Multivesicular Liposomes", *Pharmaceutical Development and Technology*, pp. 1–7. doi: 10.3109/10837450.2014.920358.
- Verma, D. D., and Fahr, A., (2004), "Synergistic Penetration Enhancement Effect of Ethanol and Phospholipids on the Topical Delivery of Cyclosporin A", *Journal of Controlled Release*, 97, pp. 55–66. doi: 10.1016/j.jconrel.2004.02.028.
- Vicentini, F. T. M. D. C., *et al.*, (2013), "Liquid Crystalline Phase Nanodispersions

- Enable Skin Delivery of SiRNA", *European Journal of Pharmaceutics and Biopharmaceutics*, 83, pp. 16–24. doi: 10.1016/j.ejpb.2012.08.011.
- Waugh, A., and Grant, A. (Allison W., (2014) *Ross and Wilson anatomy & physiology in health and illness*, Churchill Livingstone Elsevier. doi: 10.1017/CBO9781107415324.004.
- Wei, Z., *et al.*, (2009), "Paclitaxel-Loaded Pluronic P123/F127 Mixed Polymeric Micelles: Formulation, Optimization and in Vitro Characterization", *International Journal of Pharmaceutics*, 376(1–2), pp. 176–185. doi: 10.1016/j.ijpharm.2009.04.030.
- Wohlrab, J., *et al.*, (2012), "A Topical Tacrolimus Microemulsion for Plaque-Type Psoriasis Therapy", *Drug Development and Delivery*, 12, pp. 43–46.
- Yadav, N. K., *et al.*, (2016), "Systematically Optimized Coenzyme Q10-Loaded Novel Proniosomal Formulation for Treatment of Photo-Induced Aging in Mice: Characterization, Biocompatibility Studies, Biochemical Estimations and Anti-Aging Evaluation", *Journal of Drug Targeting*, 24(3), pp. 257–271. doi: 10.3109/1061186X.2015.1077845.
- Yang, S., and Meyskens, F. L., (2005), "Alterations in Activating Protein 1 Composition Correlate with Phenotypic Differentiation Changes Induced by Resveratrol in Human Melanoma", *molecular pharmacology*, 67(1), pp. 298–308.
- Yu, H. Y., and Liao, H. M., (1996), "Triamcinolone Permeation from Different Liposome Formulations through Rat Skin in Vitro", *International Journal of Pharmaceutics*, 127, pp. 1–7. doi: 10.1016/0378-5173(95)04055-2.
- Zhang, G., Flach, C. R., and Mendelsohn, R., (2007), "Tracking the Dephosphorylation of Resveratrol Triphosphate in Skin by Confocal Raman Microscopy", *Journal of Controlled Release*, 123(2), pp. 141–7. doi: 10.1016/j.jconrel.2007.08.001.
- Zhang, J., and Smith, E., (2011), "Percutaneous Permeation of Betamethasone 17-Valerate Incorporated in Lipid Nanoparticles", *Journal of Pharmaceutical Sciences*, 100, pp. 896–903. doi: 10.1002/jps.22329.
- Zhang, Y. T., *et al.*, (2014), "Evaluation of Psoralen Ethosomes for Topical Delivery in Rats by Using in Vivo Microdialysis", *International Journal of Nanomedicine*, 9, pp. 669–678. doi: 10.2147/IJN.S57314.

## List of Publications

### Research Article

1. **Bharat Khurana**, Daisy Arora, R K Narang. “FbD supported development and in vitro evaluation of Carbomer based Resveratrol loaded Topical Antipsoriatic Nanoemulgel for its targeted skin delivery”, **Pharmaceutical Nanotechnology** 2020; 8(2):91-107. doi: 10.2174/2211738508666200129160027.

**Indexed in SCOPUS (UGC CARE list)**

2. **Bharat Khurana**, Daisy Arora, R K Narang. “QbD based exploration of Resveratrol loaded polymeric micelles based carbomer gel for topical treatment of Plaque Psoriasis: In vitro, ex vivo and in vivo studies”, **Journal of Drug Delivery Science and Technology** 2020, Volume 59.

**<https://doi.org/10.1016/j.jddst.2020.101901>**

**Indexed: SCOPUS and SCI (UGC CARE list)**

**Impact Factor 2.734**

### Review Article

1. **Bharat Khurana**, Daisy Arora, R K Narang. **Topical Delivery of Nanoemulsion for Antipsoriatic Drugs**. *Journal of Drug Delivery and Therapeutics* 2018, 8 (5): 1-11.
2. Daisy Arora, **Bharat Khurana**, R.K. Narang, Sanju Nanda. “**Quality by Design (QbD) Approach for Optimization and Development of Nano Drug Delivery Systems**” *Trends in Drug Delivery*. 2016; 3(3):23-32.

**List of Paper presentation in conferences/seminar**

1. **Bharat Khurana**, Daisy Arora and R K Narang, Formulation and Evaluation of Novel Carrier System of Resveratrol for Treatment of Psoriasis, **The International Conference on Clinical Research-2017 on September 8 & 9, 2017**, Organized by Multidisciplinary Research Unit, University Centre of Excellence in Research at Baba Farid University, Faridkot (Punjab)  
(Received Young Scientist Award, 3<sup>rd</sup> position in ORAL PRESENTATION)
2. **Bharat Khurana**, Daisy Arora and R K Narang, Optimization, Formulation and Evaluation of Micellar Resveratrol for Treatment of Psoriasis, **69<sup>th</sup> INDIAN PHARMACEUTICAL CONGRESS- 2017** on December 22 & 24, 2017, Organized by APTI & IPCA at Chitkara University, Rajpura (Punjab)

**List of conferences/seminar/FDP/Workshop attended**

1. One week Faculty Development Programme Approved and Sponsored by IK Gujral Punjab Technical University, Jalandhar on “**Application of tools in Pharmaceutical Education and Research**” during 18<sup>th</sup> - 22<sup>nd</sup> December 2018 at ISFCP.
2. Attended One Day National Conference on “**Advanced Bioanalytical Techniques, Artificial Intelligence and Health Sciences**” Organised by ISF College of Pharmacy, Moga on December 24, 2018.
3. Attended Two weeks AICTE sponsored Faculty Development Program on “**Optimization Techniques and Recent Advances in Drug Delivery System**” Organized by ISF College of Pharmacy, Moga from 10<sup>th</sup> – 22<sup>nd</sup> June 2019.
4. Attended Two weeks AICTE sponsored Faculty Development Program on “**Multidisciplinary approaches in Pharmaceutical Sciences**” Organized by ISF College of Pharmacy, Moga from 8<sup>th</sup> – 20<sup>th</sup> July 2019.
5. Attended Two Days National Annual Conference of 54<sup>th</sup> The Indian Hospital Pharmacist’s Association on Theme: “**Safe & Effective Medicines For All**” On 13<sup>th</sup> – 14<sup>th</sup> September 2019 Organized by ISF College of Pharmacy (An Autonomous College), Moga (Punjab).