

REFERENCES

- [1] Abbas, F., Gattal, A., Djeddi, C., Siddiqi, I., Bensefia, A., and Saoudi, K., (2021), “Texture feature column scheme for single and multi-script writer identification”, *IET Biometrics*, **10(2)**, pp. 179-193.
- [2] Abdi, M. N., and Khemakhem, M., (2015), “A model-based approach to offline text independent Arabic writer identification and verification”, *Pattern Recognition*, **48**, pp. 1890–1903.
- [3] Adak, C., and Chaudhuri, B. B., (2015), “Writer Identification from Offline Isolated Bangla Characters and Numerals”, *Proc. International Conference on Document Analysis and Recognition (ICDAR)*, Tunis, Tunisia, **15**, pp. 486-490.
- [4] Adak, C., Chaudhuri, B. B., and Blumenstein, M., (2017), “Impact of Struck-out Text on Writer Identification”, *Proc. International Joint Conference on Neural Networks*, Anchorage, Alaska, USA, pp. 1465-1473.
- [5] Adak, C., Chaudhuri, B.B., and Blumenstein, M., (2019), “An Empirical Study on Writer Identification and Verification from Intra-Variable Individual Handwriting”, *IEEE Access*, **7**, pp. 24738–24758, DOI:10.1109/access.2019.2899908
- [6] Aggarwal, A., and Singh, K., (2015), “Handwritten Gurumukhi character recognition”, *Proc. Computer Communication and Control (IC4)*, Indore, India, pp. 1-5.
- [7] Aggarwal, K., and Sharma, R. K., (2016), “DFT based feature extraction technique for recognition of online handwritten Gurumukhi strokes”, *Proc. International Conference on Inventive Computation Technologies (ICICT)*, Coimbatore, India, **3**, pp.1-6.
- [8] Ahmed, M., Rasool, A. G., Afzal, H., and Siddiqi, I., (2017), “Improving handwriting-based gender classification using ensemble classifiers”, *Expert System with Applications*, **85**, pp. 158-168.
- [9] Ahmed, S. B., Hameed, I. A., Naz, S., Razzak, M. I., and Yusof R., (2019), “Evaluation of Handwritten Urdu Text by Integration of MNIST Dataset

- Learning Experience”, *IEEE Access*, **7**, pp. 153566-153578, DOI: 10.1109/ACCESS.2019.2946313.
- [10] Akbari, M., Eslami, R., and Kashani, M. H., (2012), “Offline Persian Writer Identification Based on Wavelet Analysis, *Proc. 4th International Conference on Bioinformatics and Biomedical Technology*, IACSIT Press, Singapore, **29**, pp. 180-186.
- [11] Akbari, M., Nouri, K., Sadri, J., Djeddi, C., and Siddiqi, I., (2017), “Wavelet based Gender Detection on Offline handwritten documents using Probabilistic Finite State Automata”, *Image and Vision Computing*, **59**, pp.17–30.
- [12] Alsaadi, I. M., (2015), “Physiological biometric authentication systems, advantages, disadvantages and future development: A review”, *International Journal of Scientific & Technology Research*, **4(12)**, pp. 285-289.
- [13] Altwaijry, N., and Al-Turaiki, I., (2021), “Arabic handwriting recognition system using convolutional neural network”, *Neural Computing & Applications*, **33**, pp. 2249–2261.
- [14] Alwzwozy, H. A., Albehadili, H. M., Alwan, Y. S., Islam, N. E., (2016), “Handwritten digit recognition using convolutional neural networks”, *International Journal of Innovative Research in Computer and Communication Engineering*, **4(2)**, pp. 1101-1106.
- [15] Andrew, C., Reddy, S., Pulabaigari, V., and Pal, U., (2017), “Text Independent Writer Identification for Telugu Script using Directional Filter based Features”, *Proc. 14th IAPR International Conference on Document Analysis and Recognition*, Kyoto, Japan, pp. 65-70.
- [16] Arora, S., Bhattacharjee, D., Nasipuri, M., Malik, L., Kundu, M., and Basu, D. K., (2010), “Performance comparison of SVM and ANN for handwritten Devanagari character recognition”, *International Journal of Computer Sciences Issues*, pp. 1-10, arXiv preprint arXiv:1006.5902.
- [17] Asht, S., and Dass, R., (2012), “Pattern Recognition Techniques: A Review”, *International Journal of Computer Science and Telecommunications*, **3(8)**, pp. 25-29.

- [18] Ashiquzzaman, A., and Tushar, A. K., (2017), “Handwritten Arabic Numeral Recognition using Deep Learning Neural Networks”, *Proc. IEEE International Conference on Imaging, Vision and Pattern*, Dhaka, Bangladesh, pp. 1-4.
- [19] Asi, A., Abdalhaleem, A., Fecker, D., Margner, V., and Sana, El. J. (2017), “On Writer Identification for Arabic Historical manuscripts”, *International Journal on Document Analysis and Recognition*, **20(3)**, pp.173-187.
- [20] Aubin, V., and Mora, M., (2017), “A New Descriptor for Person Identity Verification based on Handwritten Strokes Off-Line Analysis”, *Expert System with Applications*, **89**, pp. 241-253.
- [21] Aubin, V., Mora, M., and Penas M, S., (2018), “Off-line Writer Verification based on Simple Graphemes”, *Pattern Recognition*, **79**, pp. 414-426.
- [22] Awaida, S.M., and Mahmoud, S. A., (2012), “State of the art in off-line Writer Identification of handwritten text and survey of writer identification of Arabic text”, *Educational Research and Reviews*, **7(20)**, pp. 445-463.
- [23] BabaAli, B., (2021), “Online writer identification using statistical modeling-based feature embedding”, *Soft Computing*, <https://doi.org/10.1007/s00500-021-05729-x>
- [24] Baghshah, M.S., Shouraki, S.B., and Kasaei, S., (2006). “A novel fuzzy classifier using fuzzy LVQ to recognize online Persian handwriting”, *Proc. 2nd IEEE Conference on Information and Communication Technology*, Damascus, Syria, pp.1878-1883.
- [25] Bal, A., and Saha, R., (2016), “An Improved Method for Handwritten Document Analysis Using Segmentation, Baseline Recognition and Writing Pressure Detection”, *Procedia Computer Science*, **93**, pp. 403-415.
- [26] Bangarimath, P., Bendigeri, D., and Pujari, J., (2018), “Writer Identification using Texture Features in Kannada Handwritten Documents”, *International Journal of Engineering Research & Technology*, **6(13)**, pp. 1-4.
- [27] Bartle, A., and Zheng, J., (2015), “Gender classification with Deep Learning”, *Stanfordcs, 224d Course Project Report*, pp. 1-7.

- [28] Beech, J.R., and Isla, C. M., (2005), “Do differences in sex hormones affect handwriting style? Evidence from digit ratio and sex role identity as determinants of the sex of handwriting”, *Personality and Individual Differences*,**39(2)**, pp. 459-468.
- [29] Bennour, A., Djeddi, C., Gattal, A., Siddiqi, I., and Mekhaznia, T., (2019), “Handwriting based writer recognition using implicit shape codebook”, *Forensic Science International*,**301**, pp. 91-100.
- [30] Bensefia, A., Paquet, T., and Heutte, L., (2005), “Handwritten Document Analysis for Automatic Writer Recognition”, *Electronic Letters on Computer Vision and Image Analysis*, **5(2)**, pp. 72-86.
- [31] Bensefia, A., and Paquet, T., (2016), “Writer verification based on a single handwriting word samples”, *EURASIP Journal on Image and Video Processing*, pp. 1-9, [doi.org/ 10.1186/s13640-016-0139-0](https://doi.org/10.1186/s13640-016-0139-0).
- [32] Bensefia, A., and Dieddi, C., (2020), ”Feature's Selection-Based Shape Complexity for Writer Identification Task”, *Proc. International Conference on Pattern Recognition and Intelligent Systems*, Greece, pp. 1–6.
- [33] Bertolini, D., Oliveira, L.S., Justino, E., and Sabourin, R., (2013), “Texture based descriptor for Writer identification and verification”, *Expert System with Applications*, **40(6)**, pp. 2069-2080.
- [34] Bertolini, D., Oliveira, L. S., and Sabourin, R., (2016), “Multi-script writer identification using dissimilarity,” *Proc. 23rd International Conference on Pattern Recognition (ICPR)*, Cancun, Mexico, pp. 3025-3030, doi: 10.1109/ICPR.2016.7900098.
- [35] Bhalla, A., (2020), “The latest evolution of biometrics”, *Biometric Technology Today*, **8**, pp. 5-8, ISSN 0969-4765, [https://doi.org/10.1016/S0969-4765\(20\)30109-0](https://doi.org/10.1016/S0969-4765(20)30109-0).
- [36] Bhattacharya, U., and Chaudhuri, B.B., (2003), “A majority voting scheme for multiresolution recognition of handprinted numerals”, *Proc. 7th International Conference on Document Analysis and Recognition*, Edinburgh, UK, pp. 16-20, doi: 10.1109/ICDAR.2003.1227620.

- [37] Bhunia, A.K., Mukherjee, S., Sain, A., Bhunia, A.K., Roy, P.P., and Pal, U., (2020), “Indic handwritten script identification using offline-online multi-modal deep network”, *Information Fusion*, **57**, pp. 1-14.
- [38] Bi, N., Suen, C.Y., Nobile, N., and Tan, J., (2018), “A Multi-Feature Selection Approach for Gender Identification of Handwriting based on Kernel Mutual Information”, *Pattern Recognition Letters*, pp. 1-14. DOI: 10.1016/j.patrec.2018.05.005.
- [39] Biswas, S., and Das, A.K., (2012), “Writer Identification of Bangla handwritings by Radon Transform Projection Profile”, *Proc. 10th IAPR International Workshop on Document Analysis Systems*, Gold Coast, QLD, Australia, pp. 215-219.
- [40] Botchkarev, A., (2019), “Performance metrics (error measures) in machine learning regression, forecasting and prognostics: Properties and typology”, *Interdisciplinary Journal of Information, Knowledge, and Management*, **14**, pp. 45-79, arXiv preprint arXiv:1809.03006.
- [41] Bouadjenek, N., Nemmour, H., and Chibani, Y., (2015a), “Histogram of Oriented Gradients for Writer’s gender, handedness and age prediction”, *Proc. International Symposium on Innovations in Intelligent Systems and Applications*, Madrid, Spain, pp. 1-5, DOI: 10.1109/INISTA.2015.7276752
- [42] Bouadjenek, N., Nemmour, H., and Chibani, Y., (2015b), “Age, gender and handedness prediction from handwriting using gradient features”, *Proc. 13th International Conference on Document Analysis and Recognition*, Tunis, Tunisia, pp. 1116–1120.
- [43] Bouadjenek, N., Nemmour, H., and Chibani, Y., (2016), “Robust soft-biometrics prediction from off-line handwriting analysis”, *Applied Soft Computing*, **46**, pp. 980-990, ISSN 1568-4946, <https://doi.org/10.1016/j.asoc.2015.10.021>.
- [44] Bouchaffra, D., and Amira, A., (2008), “Structural hidden Markov models for biometrics: Fusion of face and fingerprint”, *Pattern Recognition*, **41(3)**, pp. 852–867, doi:10.1016/j.patcog.2007.06.033

- [45] Bradley, S., (2015), “Handwriting and Gender: A multi-use data set”, *Journal of Statistics Education*, **23(1)**, pp. 1-15.
- [46] Brink, A., Smit, J., Bulacu, M., and Schomaker, L., (2012), “Writer identification using directional ink-trace width measurements”, *Pattern Recognition*, **45(1)**, pp. 162–171.
- [47] Bulacu, M., and Schomaker, L., (2007), “Text-independent writer identification and verification using textural and Allographic features”, *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, **29(4)**, pp. 701–717.
- [48] Bunke, H., and Riesen, K., (2012), “Towards the unification of structural and statistical pattern recognition”, *Pattern Recognition Letters*, **33(7)**, pp. 811-825.
- [49] Cha, S.H., and Tappert, C.C., (2002), “Automatic detection of handwriting forgery, In *Proc. 8th International Workshop on Frontiers in Handwriting Recognition*, Niagra-on-the-Lake, ON, Canada, pp. 264-267.
- [50] Chahi, A., Khadiri, I.E., Merabet, Y.E., Ruichek, Y., and Touahni, R., (2018), “Block Wise Local Binary Count for Offline Text-Independent Writer Identification”, *Expert Systems with Applications*, **93(1)**, pp.1-14.
- [51] Chahi, A., Merabet, Y.E.I., Ruichek, Y., and Touahni, R., (2019), “An effective and conceptually simple feature representation for off-line text-independent writer identification”, *Expert Systems with Applications*, **123**, pp. 357-376.
- [52] Chahi, A., Merabet, Y.E.I., Ruichek, Y., and Touahni, R., (2020), “Local gradient full-scale transform patterns based off-line text-independent writer identification”, *Applied Soft Computing*, **92**, pp. 106277.
- [53] Chambers, J., Yan, W., Garhwal, A., and Kankanhalli, M., (2015), “Currency security and forensics: A survey”, *Multimedia Tools and Applications*, **74(11)**, pp. 4013-4043.
- [54] Chan, S.K., Viard-Gaudin C., and Tay, Y.H., (2008), “Online writer identification using character prototypes distributions, *Proc. 6th International*

- Conference on Information, Communications & Signal Processing*, Singapore, pp. 1-5.
- [55] Chanda, S., Franke, K., Pal, U., and Wakabayashi, T., (2010), “Text Independent Writer Identification for Bengali Script,” *Proc. 20th International Conference on Pattern Recognition*, Gold Coast, QLD, Australia, pp. 2005-2008.
- [56] Chanda, S., Franke, K., and Pal, U., (2012), “Text Independent Writer Identification for Oriya Script,” *Proc. 10th IAPR International Workshop on Document Analysis Systems*, Gold Coast, QLD, Australia, 369-373.
- [57] Chapran, J., (2006), “Biometric Writer Identification: Feature Analysis and classification”, *International Journal of Pattern Recognition and Artificial Intelligence*, **20(4)**, pp. 483-503.
- [58] Chaudhuri, P., Ghosh, A. K., and Oja, H., (2009), “Classification Based on Hybridization of Parametric and Nonparametric Classifiers”, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, **31(7)**, pp.1153–1164.
- [59] Chaudhari, K., and Thakkar, A., (2019), “Survey on handwriting-based personality trait identification”, *Expert Systems with Applications*, **124**, pp. 282-308.
- [60] Chaudhuri, S., Paul, G., Paul, M., Rakshit, M., and Pratihari, H.K., (2020), “Study on a Few Suicide Notes a Forensic Approach”, *Journal of Forensic Sciences & Criminal Investigation*, pp. 1-6.
- [61] Chen, S., Wang, Y., Lin, C., Ding, W., and Cao, Z., (2019), “Semi-supervised feature learning for improving writer identification”, *Information Sciences*, **482**, pp. 156–170
- [62] Chen, Z., Yu, H.X., and Wu, A., (2021), “Letter-Level Online Writer Identification”, *International Journal of Computer Vision*, **129**, pp. 1394–1409.
- [63] Choksi, A.H., and Thakkar, S.P., (2012), “Recognition of Similar appearing Gujarati Characters using Fuzzy-KNN Algorithm”, *International Journal of Computer Applications*, **55(6)**, pp.12-17.

- [64] Christlein, V., Bernecker, D., Honig, F., Maier, A., and Angelopoulou, E., (2017), “Writer Identification Using GMM Supervectors and Exemplar-SVMs”, *Pattern Recognition*, **63**, pp. 258–267
- [65] Christlein, V., Gropp, M., Fiel, S., and Maier, A., (2018), “Unsupervised feature learning for writer identification and writer retrieval”, *Proc. International conference on document analysis and recognition*, Kyoto, Japan, pp. 991–997
- [66] Chu, J., and Srihari, S., (2014), “Writer Identification using a Deep Neural Network”, *Proc. Indian Conference on Computer Vision Graphics and Image Processing*, Bangalore India, pp.1-7.
- [67] Cilia, N. D., Stefano, C. D., Fontanella, F., Marrocco, C., Molinara, M., and Freca, A. S. D., (2020), “An end-to-end deep learning system for medieval writer identification”, *Pattern Recognition Letters*, **129**, pp. 137-143.
- [68] Cordasco, G., Buonanno, M., Faundez-Zanuy, M., Riviello, M.T., Sulem, L.L., and Esposito, A., (2020), “Gender Identification through Handwriting: an Online Approach, *Proc. 11th IEEE International Conference on Cognitive Info communications (CogInfoCom)*, 000197-000202, Mariehamn, Finland. DOI: 10.1109/CogInfoCom50765.2020.9237863.
- [69] Daraee, F., Mozaffari, S., and Razavi, S. M., (2021), “Handwritten keyword spotting using deep neural networks and certainty prediction”, *Computers & Electrical Engineering*, **92**, 107111.
- [70] Dargan, S., and Kumar, M., (2019), “Writer Identification System for Indic and Non-Indic Scripts: State-of-the-Art Survey”, *Archives of Computational Methods in Engineering*, **26**, pp.1283–1311.
- [71] Dargan, S., and Kumar, M., (2020), “A Comprehensive survey on the biometric recognition systems based on physiological and behavioral modalities”, *Expert Systems with Applications*, **143**, pp. 1-75.
- [72] Dargan, S., Kumar, M., Garg, A., and Thakur, K., (2020), “Writer identification system for pre-segmented offline handwritten Devanagari characters using k -NN and SVM”, *Soft Computing*, **24**, pp. 10111–10122.

- [73] Dargan, S., and Kumar, M., (2020), “Writer Identification System based on Offline text in Gurumukhi characters”, *Proc. 6th IEEE International Conference on Parallel, Distributed, Grid Computing (PDGC)*, Wagnaghat, Solan, Himachal Pradesh, India, pp. 544-549, doi: 10.1109/PDGC50313.2020.9315842.
- [74] Dargan, S., and Kumar, M., (2021), “Gender Classification and Writer Identification System based on Handwriting in Gurumukhi Script”, *Proc. IEEE International Conference on Computing, Communication, and Intelligent Systems (ICCCCI)*, Greater Noida, India, pp. 1-6.
- [75] Dash, N., and Ramamoorthy, L., (2019), “Issues in Text Corpus Generation”, *Utility and Application of Language Corpora*, pp. 1-16. 10.1007/978-981-13-1801-6_1.
- [76] Delimata, P., and Suraj, Z., (2013), “Hybrid Methods in Data Classification and Reduction”, In: Skowron A., Suraj Z. (eds) *Rough Sets and Intelligent Systems - Professor Zdzisław Pawlak in Memoriam. Intelligent Systems Reference Library*, **43**, pp. 263-291.
- [77] Demidova, L.A., Klyueva, I.A., and Pylkin, A.N., (2019), “Hybrid Approach to Improving the Results of the SVM Classification Using the Random Forest Algorithm”, *Procedia Computer Science*, **150**, pp. 455-461
- [78] Desai, A.A., (2015), “Support Vector Machine for Identification of handwritten Gujarati alphabets using hybrid feature space”, *CSI transactions on ICT*, **2(4)**, pp. 235-241.
- [79] Dhandra, B.V., Vijayalaxmi, M.B., Mukarambi, G., and Hangarge, M., (2012). “Writer identification by texture analysis based on Kannada handwriting”, *International Journal of Communication Network Security*, **1(4)**, pp. 80–85.
- [80] Dhandra, B.V., and Vijaylaxmi, M.V., (2014), “Text and Script Independent Writer Identification”, *Proc. of the International Conference on Contemporary Computing and Informatics (IC3I)*, Mysore, India, pp. 586-590.
- [81] Dhandra, B.V., and Vijaylaxmi, M.V., (2015), “A novel approach to Text Dependent Writer Identification to Kannada Handwriting”, *Procedia Computer Science*, **49**, pp. 33-41.

- [82] Dhieb, T., Ouarda, W., Boubaker, H., and Alilmi, A.M., (2016), “Deep neural network for Online Writer Identification using Beta-elliptic model”, *Proc. IEEE International Joint Conference on Neural Networks*, Vancouver, BC, Canada, pp. 1863-1870.
- [83] Dhieb, T., Njah, S., Boubaker, H., Ouarda, W., Ayed, M.B., and Alimi, A.M., (2020), “Towards a novel biometric system for forensic document examination”, *Computers & Security*, **97**, 101973.
- [84] Dmour, A.A., and Zitar, R.A., (2007), “Arabic writer identification based on hybrid spectral–statistical measures”, *Journal of Experimental & Theoretical Artificial Intelligence*, **19(4)**, pp. 307–332.
- [85] Durou, A., Aref, I., Elbendak, M., Al-Maadeed, S., and Bouridane, A., (2017), “Measuring and optimizing performance of an offline text writer identification system in terms of dimensionality reduction techniques”, *Proc. 7th International Conference on Emerging Security Technologies (EST)*, Canterbury, pp. 19-25.
- [86] Durou, A., Aref, I., Al-Maadeed, S., Bouridane, A., and Benkhelifa, E., (2019), “Writer identification approach based on bag of words with OBI features”, *Information Processing & Management. Information Processing & Management*, pp. 354-366.
- [87] Elbarawy, Y.M., and Ghonaim, W.A., (2021), “Hybridized Convolution Neural Network and Multiclass-SVM Model for Writer Identification”, *Engineering Letters*, **29(1)**, pp. 1-10.
- [88] Fallah, B., and Khotanlou, H., (2016), “Identify personality parameter based on handwriting using neural network”, *Artificial Intelligence and Robotics*, pp. 120-126.
- [89] Faundez-Zanuy, M., Fierrez, J., and Ferrer, M.A., (2020), “Handwriting Biometrics: Applications and Future Trends in e-Security and e-Health”, *Cognitive Computing*, **12**, pp. 940–953.
- [90] Fogel, S., Averbuch-Elor, H., Cohen, S., Mazor, S., and Litman, R., (2020), “ScrabbleGAN: Semi-supervised varying length handwritten text generation”,

- Proc. IEEE/CVF Conference on Computer Vision and Pattern Recognition*, Salt Lake City, UT, USA, pp. 4324 - 4333.
- [91] Fukue, K., Tomokiyo, D., and Tangtisanon, P., (2017), "Offline handwriting identification system for Thai characters using individual change control processing", *Proc. 14th Fourteen International Conference on Electrical Engineering/Electronics, Computer, Telecommunications and Information Technology*, Phuket, Thailand, pp. 123-126.
- [92] Garg, A., Jindal, M.K., and Singh, A., (2019), "Offline handwritten Gurumukhi character recognition: k-NN vs. SVM classifier", *International Journal of Information Technology*, pp. 1-8.
- [93] Gattal, A., Djeddi, C., Siddiqi, I., and Chibani, Y., (2018), "Gender Classification from Offline multi-script handwriting images using Oriented Basic Image Features (OBIF)", *Expert System with Application*, **99**, pp. 155-167.
- [94] Gattal A., Djeddi C., Bensefia A., and Ennaji A. (2020) Handwriting Based Gender Classification Using COLD and Hinge Features. In: El Moataz A., Mammass D., Mansouri A., Nouboud F. (eds) Image and Signal Processing. ICISP 2020. Lecture Notes in Computer Science, vol **12119**. Springer, Cham.
- [95] Geetha, R., Thilagam, T. and Padmavathy, T., (2021), "Effective offline handwritten text recognition model based on a sequence-to-sequence approach with CNN-RNN networks. *Neural Computing & Applic* (2021). <https://doi.org/10.1007/s00521-020-05556-5>
- [96] Gharahbagh, A., and Yaghmaee, F., (2018), "Gradient-based approach to offline text-independent Persian writer identification", *IET Biometrics*, pp. 1-6, doi:10.1049/iet-bmt.2018.5117
- [97] Ghosh, M.M.A., and Maghari, A.Y., (2017), "A Comparative Study on Handwriting Digit Recognition Using Neural Networks", *Proc. International Conference on Promising Electronic Technologies (ICPET)*, Deir El-Balah, Palestine. pp. 77-81.
- [98] Ghosh, A., Pavate, A., Gholam, V., Shenoy, G., and Mahadik, S., (2020a), "Steady model for classification of handwritten digit recognition",

- In Innovation in Electrical Power Engineering, Communication, and Computing Technology*, pp. 401-412.
- [99] Ghosh, S., Shivakumarab, P., Roy, P., Pala, U., and Luc, T., (2020b), “Graphology based handwritten character analysis for human behavior identification”, *CAAI Transactions on Intelligence Technology*, **5(1)**, pp. 1–11.
- [100] Gideon, S.J., Kandulna, A., Kujur, A. A., Diana, A., and Raimond, K., (2018), “Handwritten Signature Forgery Detection using Convolutional Neural Networks”, *Procedia Computer Science*, **143**, pp. 978-987.
- [101] Girdher, H., and Sharma, H., (2020), “A Survey on Writer Identification System for Indic Scripts”, SSRN. pp. 1-9, <http://dx.DOI.org/10.2139/ssrn.3538594>
- [102] Goel, A., and Vishwakarma, V.P., (2016), “Feature extraction technique using hybridization of DWT and DCT for gender classification”, *Proc. 9th International Conference on Contemporary Computing (IC3)*, Noida, India, pp. 1-6, DOI: 10.1109/IC3.2016.7880191.
- [103] Guerbai, Y., Chebani, Y., and Hadjadji, B., (2017), “Handwriting gender recognition system based on the one-class support vector machines”, *Proc. 7th International Conference on Image Processing Theory, Tools and Applications (IPTA)*, Montreal, QC, Canada, pp. 1-5.
- [104] Guha, R., Das, N., Kundu, M., Nasipuri, M., and Santosh, K. C., (2019), “DevNet: An efficient CNN architecture for handwritten Devanagari character recognition”, *International Journal of Pattern Recognition and Artificial Intelligence*, 1-22, doi:10.1142/s0218001420520096
- [105] Hadjadji, B., and Chibani, Y., (2018), “Two combination stages of clustered One-Class Classifiers for writer identification from text fragments”, *Pattern Recognition*, **82**, pp. 147–162.
- [106] Hajdu, A., Hajdu, L., Jonas A, Kovacs, L., and Toman, H., (2013), “Generalizing the Majority Voting Scheme to Spatially Constrained Voting”, *IEEE Transactions on Image Processing*, **22(11)**, pp. 4182–4194. DOI:10.1109/tip.2013.2271116

- [107] Halder, C., and Roy, K., (2013), “Individuality of isolated Bangla numerals”, *Journal of Network and Innovative Computing*, **1**, pp. 33–42.
- [108] Halder, C., Thakur, K., and Roy, K., (2015). “Writer Identification from Handwritten Devanagari Script”, *Advances in Intelligent Systems and Computing*, pp. 497-505.
- [109] Halder, C., Obaidullah M. D., Santosh, K., and Roy, K., (2018), “Content Independent Writer Identification on Bangla Script: A Document Level Approach”, *International Journal of Pattern Recognition and Artificial Intelligence*, 1856011, DOI: 10.1142/S0218001418560116
- [110] Handa, J., Singh, S., and Saraswat, S., (2019), “Approaches of Behavioural Biometric Traits”, *Proc. 9th International Conference on Cloud Computing, Data Science & Engineering (Confluence)*, pp. 516-521.
- [111] Hangarge, M., Veershetty, C., Pardeshi, R., and Dhandra, B.V., (2016), “Gabor wavelets based word retrieval from Kannada documents”, *Procedia Computer Science*, **79**, pp. 441–448.
- [112] Hannad, Y., Siddiqi, I., and Kettani, M.E.Y., (2016), “Writer identification using texture descriptors of handwritten fragments”, *Expert System with Applications*, **47**, pp. 14–22.
- [113] Harrison, D., Burkes, T.M., and Seiger, D.P., (2009), “Handwriting examination: Meeting the challenges of science and the law”, *Forensic Science Communications*, **11(4)**, pp. 1-13.
- [114] He, S., and Schomaker, L., (2017), “Writer Identification using Curvature Free Features”, *Pattern Recognition*, **63**, pp. 451-464.
- [115] He, S., and Schomaker, L., (2019), “Deep adaptive learning for writer identification based on single handwritten word images”, *Pattern Recognition*, **88**, pp. 64–74.
- [116] He, S., and Schomaker, L., (2020), “FragNet: Writer Identification Using Deep Fragment Networks”, *IEEE Transactions on Information Forensics and Security*, pp. 3013-3022, DOI:10.1109/TIFS.2020.2981236.

- [117] He, S., and Schomaker, L., (2021), “GR-RNN: Global-context residual recurrent neural networks for writer identification”, *Pattern Recognition*, **117**, 107975, <https://doi.org/10.1016/j.patcog.2021.107975>
- [118] Hiremath, P.S., Shivashankar, S., Jagadeesh, D.P., and Kartik, R.K., (2010), “Writer Identification in a Handwritten Document Image using Texture Features”, *Proc. International Conference on Signal and Image Processing*, Chennai, India, pp. 139-142.
- [119] Hossain. M.T., Hasan, M.W., and Das, A.K., (2021), “Bangla Handwritten Word Recognition System Using Convolutional Neural Network”, *Proc. 15th International Conference on Ubiquitous Information Management and Communication (IMCOM)*, Seoul,Korea (South), pp. 1-8, doi: 10.1109/IMCOM51814.2021.9377410.
- [120] Illouz E., (Omid) David E., and Netanyahu N.S. (2018) Handwriting-Based Gender Classification Using End-to-End Deep Neural Networks. In: Kůrková V., Manolopoulos Y., Hammer B., Iliadis L., Maglogiannis I. (eds) Artificial Neural Networks and Machine Learning – ICANN 2018. ICANN 2018. Lecture Notes in Computer Science, 11141, pp. 613-621.
- [121] Jain, A.K., Nandakumar, K., and Ross, A., (2016), “50 years of biometric research: Accomplishments, challenges, and opportunities”, *Pattern Recognition Letters*, **79**, pp. 80–105.
- [122] Javidi, M., and Jampour, M., (2020), “A deep learning framework for text-independent writer identification”, *Engineering Applied Artificial Intelligence*, **95**, 103912, pp. 1–9.
- [123] Jayanthi, S.K., and Rajalakshmi, D., (2011), “Writer Identification for Offline Tamil Handwriting based on Gray-Level Co-occurrence Matrices”, *Proc. International Conference on Advanced Computing (ICoAC)*, Chennai, India, pp. 187–192.
- [124] Jeblee, S., Gomes, M., and Jha, P., (2019). “Automatically determining cause of death from verbal autopsy narratives”, *BMC Med Inform DecisMak* 19, **127**, pp. 1-13.

- [125] Jiao, Y., and Du, P., (2016), “Performance measures in evaluating machine learning based bioinformatics predictors for classifications”, *Quantitative Biology*, **4(4)**, pp. 320–330.
- [126] Jindal, U., Gupta, S., Jain, V., and Paprzycki, M., (2020), “Offline Handwritten Gurumukhi Character Recognition System using Deep Learning”, *Proc. in book on Advances in Bioinformatics, Multimedia, and Electronics Circuits and Signals*, pp. 121-133.
- [127] Joshi, M., and Garg, R.K., (2015), “Examination of handwriting on an unusual surface in a suicide case: Dead persons do tell tales - Conduct a forensic investigation for the cause of humanity and justice”, **101**, pp. 50-59.
- [128] Joshi, C., and Kumar, A., (2016), “Design of multimodal biometrics system based on feature level fusion”, *Proc. 10th International Conference on Intelligent Systems and Control (ISCO)*, Coimbatore, India, pp. 1-6, doi: 10.1109/ISCO.2016.7727072.
- [129] Kallel, F., Mezghani, A., Kanoun, S., and Kherallah, M., (2018), “A Novel ArabicWriter Identification System Using Texture Feature on Multi-resolution Levels”, *Proc. 3rd International Afro-European Conference for Industrial Advancement — AECIA 2016, Advances in Intelligent Systems and Computing SPRINGER*, **565**, pp. 350-359.
- [130] Kalra, K., and Rani, S., (2017), “Writer Identification from Offline Isolated Handwritten Gurumukhi Characters”, *Advances in Computational Sciences and Technology*, **10(5)**, pp. 903-914.
- [131] Katiyar, G., and Mehfuz, S., (2016), “A hybrid recognition system for off-line handwritten characters”, *Springer Plus* **5**, **357**, pp. 1-18.
- [132] Kaur, H., and Kumar, M., (2021), “Offline handwritten Gurumukhi word recognition using eXtreme Gradient Boosting methodology”, *Soft Computing*, **25**, pp. 4451– 4464.
- [133] Kedar, (2015), “Personality Identification through Handwriting Analysis: A Review”, *International Journal of Advanced Research in Computer Science and Software Engineering*, **5(1)**, pp. 548-556

- [134] Khalid, S., and Navqi, U., (2015), “Framework for Human Identification through Offline Handwritten Documents”, *Proc. International Conference on Computer, Communication, and Control Technology*, Kuching, Malaysia, pp. 54-58.
- [135] Khan, F.A., Tahir, M.A., Khelifi, F., and Bouridane, A., (2016), “Offline Text Independent Writer Identification using Ensemble of Multiscale Local Ternary Pattern Histograms”, *Proc. 6th European workshop on Visual Information Processing*, Marseille, France, pp. 1-6.
- [136] Khandelwal, C.S., Maheshewari, R., and Shinde, U.B., (2016), “Review Paper on Applications of Principal Component Analysis in Multimodal Biometrics System”, *Procedia Computer Science*, **92**, pp. 481-486.
- [137] Khanduja, D., Nain, N., and Panwar, S., (2015), “A Hybrid Feature Extraction Algorithm for Devanagari Script”, *ACM Transactions on Asian and Low-Resource Language Information Processing*, **15(1)**, pp. 1–10.
- [138] Khushboo, Tripathy, D.B., and Singh, V., (2020), “Handwriting examination on unusual surfaces: A Review”, *Journal of Seybold Report*, **15(9)**, pp. 368-379.
- [139] Kim, C.M., Hong, E.J., Chung, K., and Park, R.C., (2020), “Line-segment Feature Analysis Algorithm Using Input Dimensionality Reduction for Handwritten Text Recognition. Applied Sciences”, **10(19)**, pp. 1-17.
- [140] Kloppenburg, S., and Ploeg, V.I., (2018), “Securing Identities: Biometric Technologies and the Enactment of Human Bodily Differences”, *Science as Culture*, pp. 1–20.
- [141] Kumar, M., Jindal, M.K., and Sharma R.K., (2011), “K-nearest neighbor based offline handwritten Gurumukhi character recognition”, *Proc. International Conference on Image Information Processing*, Shimla, India, pp. 1-4.
- [142] Kumar, M., Sharma, R. K., and Jindal, M. K., (2013), “PCA Based Offline Handwritten Gurumukhi Character Recognition”, *Smart Computing Review*, **3(5)**, pp. 346-357.

- [143] Kumar, M., (2014), "Offline Handwritten Gurmukhi Script Recognition, *Ph.D. thesis*, Thapar University, Patiala, India, pp. 1-135.
- [144] Kumar, M., Jindal, M.K., and Sharma, R.K., (2016), "A Novel Framework for Grading of Writers Using Offline Gurumukhi Characters", *Proc. National Academy of Sciences, Section A: Physical Sciences*, India, **86(3)**, pp. 405-415.
- [145] Kumar, M., Jindal, M. K, and Sharma R. K (2017). Offline Handwritten Gurumukhi Character Recognition: Analytical Study of Different Transformations, *Proc. National Academy of Sciences, India, Section A: Physical Sciences*, **87(1)**: 137-143.
- [146] Kumar, M., Jindal, M.K., and Sharma, R.K., (2018a), "A Novel framework for Writer Identification based on pre-segmented Gurumukhi characters", *SADHANA*, **43**, pp. 1-9. <https://DOI.org/10.1007/s12046-018-0966-z>
- [147] Kumar, M., Jindal, S. R., Jindal, M. K., and Lehal, G. S., (2018b), "Improved Recognition Results of Medieval Handwritten Gurmukhi Manuscripts Using Boosting and Bagging Methodologies", *Neural Processing Letters*, **50**, pp. 43-56.
- [148] Kumar, P., and Sharma, A., (2019), "DCWI: Distribution Descriptive curve and Cellular automata-based Writer Identification", *Expert Systems with Applications*, **128**, pp. 187-200.
- [149] Kumar, M., Jindal, M.K., Sharma, R.K., and Jindal, S. R. (2020), "Performance evaluation of classifiers for the recognition of offline handwritten Gurumukhi characters and numerals: A study", *Artificial Intelligence Review*, **53**, pp. 2075-2097.
- [150] Kumar, P., and Sharma, A., (2020). "Segmentation-free writer identification based on convolutional neural network", *Computer & Electrical Engineering*, **85**, 106707, pp. 1-15.
- [151] Lai, S., and Jin, L., (2019), "Offline Writer Identification Based on the Path Signature Feature", *Proc. IEEE 2019 International Conference on Document Analysis and Recognition, (ICDAR)*, Sydney, Australia, pp. 1137-1142.

- [152] Lee, J., Lin, C., and Huang C (2013). Novel features selection for gender classification. *Proc International Conference on Mechatronics and Automation*, Takamatsu, pp. 785-790.
- [153] Levi, G., and Hassner, T., (2015), “Age and Gender Classification using Convolutional Neural Networks”, *Proc. IEEE Workshop on Analysis and Modeling of Faces and Gestures (AMFG)*, Boston, MA, USA, pp. 1-9.
- [154] Li, B., Sun, Z., and Tan, T., (2007) Online Text-Independent Writer Identification Based on Stroke’s Probability Distribution Function. In: Lee SW., Li S.Z. (eds) *Advances in Biometrics. ICB 2007. Lecture Notes in Computer Science*, 4642. Springer, Berlin, Heidelberg.
- [155] Lincy, R.B., and Gayathri, R., (2021), “Optimally configured convolutional neural network for Tamil Handwritten Character Recognition by improved lion optimization model, *Multimedia Tools and Applications*, **80**, pp. 5917–5943.
- [156] Litifu, A., Yan, Y., and Xiao, J., (2021), “Writer identification using redundant writing patterns and dual-factor analysis of variance”, *Applied Intelligence*, <https://DOI.org/10.1007/s10489-021-02307-4>
- [157] Liwicki, M., Schlapbach, A., and Bunke, H., (2011), “Automatic Gender Detection using Online and Offline Information”, *Pattern Analysis and Applications*, **14(1)**, pp. 87-92.
- [158] Maadeed, A.I.S., and Hassaine, A., (2014), “Automatic prediction of Age, Gender, and Nationality in offline handwriting”, *EURASIP Journal on Image and Video Processing*, **1(10)**, pp. 1-10. <https://DOI.org/10.1186/1687-5281-2014-10>.
- [159] Maadeed, A.I.S., Hassaine, A., Bouridane, A., and Tahir, M.A., (2016), “Novel geometric features for offline writer identification”, *Pattern Analysis and Applications*, **19(3)**, pp. 699-708.
- [160] Majumdar, A., (2007), “Bangla Basic Character Recognition Using Digital Curvelet Transform”, *Journal of Pattern Recognition Research*, **1**, pp. 17-26.

- [161] Maken, P., and Gupta, A., (2021), “A method for automatic classification of gender based on text independent handwriting”, *Multimedia Tools and Applications*, pp. <https://DOI.org/10.1007/s11042-021-10837-9>
- [162] Margner, V., Pal, U., and Antonacopoulos, A., (2018), “Document Analysis and Text Recognition, Benchmarking State of the art Systems”, *Machine Perception and Artificial Intelligence*, **82**, pp. 1-304.
- [163] Marinai, S., (2008), “Introduction to Document Analysis and Recognition”, *Studies in Computational Intelligence*, pp. 1-20. https://DOI.org/10.1007/978-3-540-76280-5_1
- [164] Mekala, S., and Rani, B.P., (2019), “Kernel PCA Based Dimensionality Reduction Techniques for preprocessing of Telugu text documents for Cluster Analysis”, *International Journal of Engineering Research & Technology (IJERT)*, **08(12)**, pp. 1337-1352.
- [165] Mekhaznia, T., Djeddi, C., and Sarkar, S., (2021), “Personality Traits Identification Through Handwriting Analysis”, *Communications in Computer and Information Science*, 1322, Springer. https://DOI.org/10.1007/978-3-030-71804-6_12
- [166] Miller, J.J., Patterson, R.B., Gantz, D.T., Christopher, P.S., Walch, M.A., and Buscaglia, J., (2017), “A Set of Handwriting Features for Use in Automated Writer Identification”, *Journal of Forensic Sciences*, pp. 1-13, doi:10.1111/1556-4029.13345.
- [167] Mirza, A., Moetesum, M., Siddiqi I., and Djeddi, C., (2016), “Gender classification from Offline handwriting images using Textural Features”, *Proc.15th International Conference on Frontiers in Handwriting Recognition (ICFHR)*, Shenzhen, China, pp.395-398.
- [168] Misra, T. K., (2015), “Development of Features for Recognition of Handwritten Odia Characters”, *Ph.D. Thesis, National Institute of Technology Rourkela.*, pp. 1-106.
- [169] Mohsen, A. M., El-Makky N. M., and Ghanem N., (2016), “Author Identification Using Deep Learning”, *Proc. 15th IEEE International*

- Conference on Machine Learning and Applications (ICMLA)*, Anaheim, CA, USA, pp. 898-903, DOI: 10.1109/ICMLA.2016.0161.
- [170] Moetesum, M., Siddiqi, I., Djeddi, C., Hannad, Y., and Al-Maadeed, S., (2018), "Data Driven Feature Extraction for Gender Classification using Multi-Script Handwritten Texts", Proc. *16th International Conference on Frontiers in Handwriting Recognition (ICFHR)*, Niagara Falls, NY, pp. 564-569.
- [171] Mohammed, T, L., and Ahmed, A, A., (2021), "Offline Writer Recognition for Kurdish Handwritten Text Document Based on Proposed Codebook", *UHD Journal of Science and Technology*, **5(1)**, pp. 21-27.
- [172] Mousavi, R., and Eftekhari, M., (2015), "A new ensemble learning methodology based on hybridization of classifier ensemble selection approaches", *Applied Soft Computing*, **37**, pp. 652-666.
- [173] Morera, A., Sanchez, A., Velez, J.F., and Moreno, A., (2018), "Gender and Handedness Prediction from Offline Handwriting Using Convolutional Neural Networks." *Complexity*, pp. 1-14.
- [174] Morris, R.N., (2021), "Forensic Handwriting Identification: Fundamental Concepts and Principles", *Academic Press*, pp. 1-297.
- [175] Mukherjee, S., and Ghosh, J.D., (2020), "Writer Identification based on Writing Individuality and Combination of Features", Proc. *IEEE Applied Signal Processing Conference (ASPCON)*, Kolkata, 2020, pp. 324-329.
- [176] Nader, L., Mohamed, A., Nazir, M., and Awadalla, M., (2018), Identification of Writer's Gender using Handwriting Analysis. *International Journal of Scientific and Research Publications*, **8(10)**, pp. 1-28.
- [177] Nakamura, Y., and Kidode, M., (2006), "Online Writer Verification Using Kanji Handwriting", In: Günsel B., Jain A.K., Tekalp A.M., Sankur B. (eds) *Multimedia Content Representation, Classification and Security. MRCS 2006. Lecture Notes in Computer Science*, 4105. Springer, Berlin, Heidelberg.
- [178] Nasir S., and Siddiqi I. (2021) Learning Features for Writer Identification from Handwriting on Papyri. In: Djeddi C., Kessentini Y., Siddiqi I.,

- Jmaiel M. (eds) *Pattern Recognition and Artificial Intelligence*. MedPRAI 2020.
- [179] Nejad, F., and Rahmati, M (2007), “A New Method for Writer Identification and Verification Based on Farsi/Arabic Handwritten Texts”, *Proc. of 9th International Conference on Document Analysis and Research*, pp. 1-5.
- [180] Newell, A. J., and Griffin, L.D., (2014), “Writer Identification using oriented Basic Image Features and the Delta encoding”, *Pattern Recognition*, **47(6)**, pp. 255-2265.
- [181] Nguyen, K., Fookes, C., Sridharan, S., Tistarelli, M., and Nixon, M., (2018), “Super-Resolution for Biometrics: A Comprehensive Survey”, *Pattern Recognition*, **78**, pp. 23-42.
- [182] Nguyen, H.T., Nguyen, C.T., Ino, T., Indurkha, B., and Nakagawa, M., (2019), “Text-independent writer identification using convolutional neural network”, *Pattern Recognition Letters*, **121**, pp. 104–112.
- [183] Nie, F., Yuan, J., and Huang, H., (2014), “Optimal Mean Robust Principal Component Analysis”, *Proc. 31st International Conference on Machine Learning*, Beijing, China *PMLR*, **32(2)**, pp. 1062-1070.
- [184] Nogueras, S.E., Zanuy, F.M., and Alcobé, R.J., (2016), “Gender Classification by Means of Online Uppercase Handwriting: A Text-Dependent Allographic Approach”, *Cognitive Computing*, **8**, pp. 15–29, <https://DOI.org/10.1007/s12559-015-9332-1>
- [185] Parvez, M.T., and Mahmoud, S.A., (2013), “Arabic handwriting recognition using structural and syntactic pattern attributes”, *Pattern Recognition*, **46(1)**, pp. 141-154.
- [186] Patil, V., and Mathur, H., (2020), “A Survey: Machine Learning Approach for Personality Analysis and Writer Identification through Handwriting”, *Proc. IEEE International Conference on Inventive Computation Technologies (ICICT)*, Coimbatore, India, DOI :10.1109/ICICT48043.2020.9112449.
- [187] Pitak, T., and Matsuura, T., (2004), “On-line writer recognition for Thai based on velocity of barycenter of pen-point movement”, *Proc. International Conference on Image Processing*, Singapore, **2**, pp. 889–892.

- [188] Prabhanjan, S., and Dinesh, R., (2017), “Deep Learning Approach for Devanagari Script Recognition”, *International Journal of Image and Graphics*, **17(3)**, 1750016, pp. 1-20, DOI 10.1142/S0219467817500164
- [189] Pradeep, J., Srinivasan, E., and Himavathi, S., (2012), “Performance analysis of hybrid feature extraction technique for recognizing English handwritten characters”, *World Congress on Information and Communication Technologies*, pp. 373-377.
- [190] Prasad, M.M., Sukumar, N., and Ramakrishnan, A.G., (2009), “Divide and conquer technique in online handwritten Kannada character recognition”, *Proc. International Workshop on Multilingual OCR*, New York, United States, pp. 1-7.
- [191] Priya, A., Mishra, S., Raj, S., Mandal, S., and Datta, S., (2016), “Online and offline character recognition: A survey”, *Proc. International Conference on Communication and Signal Processing (ICCSPP)*, Melmaruvathur, India, pp. 0967-0970.
- [192] Purohit, N., and Panwar, S., (2021), “State-of-the-Art: Offline Writer Identification Methodologies”, *Proc. International Conference on Computer Communication and Informatics (ICCCI)*, Coimbatore, India, (243), pp. 1-8.
- [193] Purkait, P., Kumar, R., and Chanda, B., (2010), “Writer identification for handwritten Telugu documents using directional morphological features”, *Proc. 12th International Conference on Frontiers in Handwriting Recognition (ICFHR)*, pp. 658–663.
- [194] Rahiman, M.A., and Rajasree, M.S., (2009), “Printed Malayalam Character Recognition Using Back-propagation Neural Networks”, *Proc. International Advance Computing Conference*, Patiala, India, pp. 197-201.
- [195] Rahman, A.F.R., Alam, H., and Fairhurst, M.C., (2002), “Multiple Classifier Combination for Character Recognition: Revisiting the Majority Voting System and Its Variations”, *Document Analysis Systems*, **2423**, pp. 167-178. Springer, https://doi.org/10.1007/3-540-45869-7_21

- [196] Rahmanian, M., and Shayegan, M. A., (2021), “Handwriting-based gender and handedness classification using convolutional neural networks”, *Multimedia Tools and Applications*, <https://DOI.org/10.1007/s11042-020-10170-7>
- [197] Ram, S.S., and Moghaddam, M.E., (2009), “Text-independent Persian writer identification using fuzzy clustering approach,” *Proc. International Conference on Information Management and Engineering*, Kuala Lumpur, Malaysia, pp. 728–731.
- [198] Rehman, A., Naz, S., and Razzak, M. I., (2019), “Writer identification using machine learning approaches: A comprehensive review”. *Multimedia Tools and Applications*, **78**, pp.10889-10931, DOI:10.1007/s11042-018-6577-1
- [199] Rosyda, S.S., and Purboyo, T.W., (2018), “A Review of Various Handwriting Recognition Methods”, *International Journal of Applied Engineering Research*, **13(2)**, pp. 1155-1164.
- [200] Roy, K., and Paul, J., (2009), “A Study of Writer Identification in Bangla,” *Proc. National Conference on NCUBQT*, India, pp. 1-6.
- [201] Roy, P.P., Bhunia, A.K., and Pal, U., (2017), “HMM-based writer identification in music score documents without staff-line removal”, *Expert Systems with Applications*, **89**, pp. 222-240.
- [202] Roy, P., and Bag, S., (2019), “Detection of Handwritten Document Forgery by Analyzing Writers’ Handwritings”, In: Deka B., Maji P., Mitra S., Bhattacharyya D., Bora P., Pal S. (eds) *Pattern Recognition and Machine Intelligence. PReMI 2019. Lecture Notes in Computer Science*, **11941**. Springer, Cham.
- [203] Sagar, P., and Pandey, A., (2015), “An Intelligent System for Writer Identification of Devanagari Handwritten Documents Using ANN”, *International Journal for Research in Applied Science & Engineering Technology (IJRASET)*, **3(12)**, pp. 194-201.
- [204] Sahu, M., Yadav, A., and Rao, I.A., (2017), “Examination of handwriting for gender identifying features”, *International Journal of Current Research*, **9(01)**, pp. 45923-45928.

- [205] Sakshi, Garg N. K., and Kumar, M., (2018), “Writer Identification System for Handwritten Gurmukhi Characters: Study of Different Feature-Classifer Combinations”, *Proc. of International Conference on Computational Intelligence and Data Engineering*, **9**, pp. 125-131, Springer, Singapore.
- [206] Salem, N., and Hussein, S., (2019), “Data dimensional reduction and principal components analysis”, *Proc. Computer Science*, **163**, pp. 292-299.
- [207] Samsuryadi, S., Kurniawan, R., and Mohamad, F.S., (2021), “Automated handwriting analysis based on pattern recognition: A survey”, *Journal of Electrical Engineering and Computer Science*, **22(1)**, pp.196-206.
- [208] Saranya, K., and Vijaya, M. S., (2013),”Text dependent writer identification using support vector machine”, *International Journal of Computer Applications*, **65(2)**, pp. 1-6.
- [209] Schomaker, L., and Bulacu, M., (2004), “Automatic Writer Identification Using Connected-Component Contours and Edge-Based Features of Uppercase Western Script”, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, **26(6)**, pp. 787-798
- [210] Shaikh, M.A., Chauhan, M., Chu, J., and Srihari, S., (2018), “Hybrid feature learning for handwriting verification”, *Proc. of 16th International Conference on Frontiers in Handwriting Recognition (ICFHR)*, Niagara Falls, NY, USA, pp. 187-192.
- [211] Sharma, M.K., and Chanderiya, V., (2020), “Retraction Note to: Writer identification using graphemes, *Sadhana*, **45**, 276, <https://DOI.org/10.1007/s12046-020-01516-w>
- [212] Sharma, R., and Kaushik, B., (2020), “Offline recognition of handwritten Indic scripts: A state-of-the-art survey and future perspectives”, *Computer Science Review*, **38**, 100302, pp. 1-27.
- [213] Sabhanayagam, T., Venkatesan, V.P., and SenthamaraiKannan, K., (2018), “A Comprehensive Survey on Various Biometric Systems”, *International Journal of Applied Engineering Research*, **13(5)**, pp. 276-2297.

- [214] Schlapbach, A., and Bunke, H., (2007), “A writer identification and verification system using HMM based recognizers”, *Pattern Anal Applic*, **10**, pp. 33–43.
- [215] Sherwani, F., Ibrahim, B.S.K.K., and Asad, M.M., (2020), “Hybridized classification algorithms for data classification applications: A review”, *Egyptian Informatics Journal*, pp. 1-8, DOI:10.1016/j.eij.2020.07.004.
- [216] Siddiqi, I., Djeddi, C., Raza, A., and Meslati, S.L., (2015), “Automatic analysis of handwriting for Gender Classification”, *Pattern Analysis and Applications*, **18(4)**, pp. 887-899.
- [217] Siddiqi, I. A., and Vincent, N., (2007), “Writer Identification in Handwritten Documents”, *Proc. 9th International Conference on Document Analysis and Recognition*, Curitiba, Brazil, pp. 1-4.
- [218] Siddiqi, I. A, and Vincent, N., (2010). “Text independent writer recognition using redundant writing patterns with contour-based orientation and curvature features”, *Pattern Recognition*, **43(11)**, pp. 3853–3865.
- [219] Singh, D., and Singh, B., (2019), “Hybridization of feature selection and feature weighting for high dimensional data”, *Applied Intelligence*, **49**, pp. 1580–1596. <https://doi.org/10.1007/s10489-018-1348-2>
- [220] Singh, G., Kumar, C.J., and Rani, R., (2015), “Performance analysis of different classifiers for recognition of handwritten Gurumukhi characters using hybrid features”, *Proc. International Conference on Computing Communication & Automation (ICCCA)*, Greater Noida, India, pp. 1091-1095.
- [221] Singh, G., and Sachan, M.K., (2015), “Data capturing process for online Gurmukhi script recognition system”, *Proc IEEE International Conference on Computational Intelligence and Computing Research (ICCIC)*, Madurai, India, pp. 1-4.
- [222] Singh, S., and Sharma, A., (2019), “Online Handwritten Gurmukhi Words Recognition: An Inclusive Study”, *ACM Transactions on Asian Language Information Processing*, **18(3)**: 1-55, doi: 10.1145/3282441.
- [223] Smirg, O., Mikulka, J., Faundez-Zanuy, M., Grassi, M., and Mekyska, J., (2011), “Gender Recognition Using PCA and DCT of Face Images”, In:

- Cabestany J., Rojas I., Joya G. (eds) *Advances in Computational Intelligence. IWANN 2011. Lecture Notes in Computer Science, 6692*. Springer, Berlin, Heidelberg. https://DOI.org/10.1007/978-3-642-21498-1_28
- [224] Soma, A., and Arai, M., (2013), “Writer Identification for Offline Handwritten Kanji without Using Character Recognition Features”, *Proc. International Conference on Information Science and Technology Application*, Macau, China, pp. 96-98.
- [225] Soma, A., Mizutani, K., and Arai, M., (2014), “Writer Identification for Offline Handwritten Kanji Characters Using Multiple Features”. *International Journal of Information and Electronics Engineering*, **4(5)**, pp. 331-335.
- [226] Sreeraj, M., and Idicula, S.M., (2011), “A Novel Approach to Writer Identification in Malayalam Using Graphemes”, *Communications in Computer and Information Science*, **157**, pp. 646-651.
- [227] Srerraj, M., (2012), “Writer Identification system for Handwritten Malayalam Documents”, *Ph.D. Thesis*, Department of Computer science, Cochin University, Cochin, 1-226.
- [228] Srihari, S.N., Cha, S.H., Arora, H., and Lee, S., (2002), “Individuality of handwriting”, *Journal of Forensic Sciences*, **47(4)**, pp. 856–872.
- [229] Sueiras, J., Ruiz, V., Sanchez, A., and Velez, J.F., (2018), “Offline continuous handwriting recognition using sequence to sequence neural networks”, *NeuroComputing*, **289**, pp. 119-128.
- [230] Tan, Bi., Suen, C.Y., and Nobile, N., (2016), “Multi feature selection of handwriting for Gender Identification using Mutual Information: *Proc. 15th International Conference on Frontiers in Handwriting Recognition*, IEEE, Shenzhen, China, pp. 578–583.
- [231] Tan, G.J., Sulong, G., and Rahiman, M.S.M.R., (2017), “Writer identification: A Comparative study across three world major languages”, *Forens Sci Int*, **279**, pp. 41–52.
- [232] Tan, G. X., Viard-Gaudin, C., and Kot, A.C., (2009), “Automatic writer identification framework for online handwritten documents using character prototypes”, *Pattern Recognition*, **42(12)**, pp. 3313-3323.

- [233] Thendral, T., Vijaya, M.S., and Karpagavalli, S., (2014), “Analysis of Tamil Character Writings and Identification of Writer Using Support Vector Machine”, *Proc. International Conference on Advanced Communication Control and Computing Technologies*, Ramanathapuram, India. pp. 1407-1411.
- [234] Thendral, T., Vijaya, M.S., and Karpagavalli, S., (2015), “Prediction of Writer Using Tamil Handwritten Document Image Based on Pooled Features”, *International Journal of Computer and Information Engineering*, **9(6)**, pp. 1586-1592.
- [235] Tomai, C.I., Zhang, B., and Srihari, S.N., (2004), “Discriminatory Power of Handwritten Words for Writer Recognition”, *Proc. 17th International Conference on Pattern Recognition*, Cambridge, England, UK, pp. 638-641.
- [236] Toman, H., Kovacs, L., Jonas, A., Hajdu, L., and Hajdu, A., (2011), “A Generalization of Majority Voting Scheme for Medical Image Detectors”, *Proc. 6th International Conference, Hybrid Artificial Intelligent Systems 2011*, **6679**, pp. 23-25.
- [237] Topaloglu, M., and Ekmekci, S., (2017), “Gender Detection and Identifying One’s Handwriting with Handwriting Analysis”, *Expert Systems with Applications*, **79**, pp. 236-243. DOI: 10.1016/j.eswa.2017.03.001.
- [238] Upadhyay, S., (2017), “Gender Identification through certain handwriting characteristics”, *Journal of Forensic Research, Proc. of 6th International Conference on forensic Research and technology*, pp.18-19, ISSN: 2157-7145.
- [239] Vijay, M., and Indumathi, G., (2021), “Deep belief network-based hybrid model for multimodal biometric system for futuristic security applications”, *Journal of Information Security and Applications*, **58**, 102707.
- [240] Verma, K., and Sharma, R.K., (2018), “An Efficient Writing-Zone Identification Technique for Online Handwritten Gurmukhi Character Recognition”, *Proc. National Academy of Sciences, India Section A: Physical Sciences*, India, **88**, pp. 297-307.
- [241] Wang, J., and Chang, C.I., (2006), “Independent component analysis based dimensionality reduction with applications in hyperspectral image analysis”,

- IEEE Transactions on Geoscience and Remote Sensing*, **44(6)**, pp. 1586-1600, DOI: 10.1109/TGRS.2005.863297.
- [242] Wang, D., (2019), “Offline Text-Independent Writer Identification Using Different Levels of Features”, *Proc. 8th International Conference on Computing and Pattern Recognition*, China, pp. 337-341.
- [243] Wang, Z., Maier, A., and Christlein, V., (2021), “Towards End-to-End Deep Learning-based Writer Identification”, In: Reussner, R. H., Kziolek, A. & Heinrich, R. (Hrsg.), *INFORMATIK 2020. Gesellschaft für Informatik, Bonn.*, pp. 1345-1354, DOI: 10.18420/inf2020_126
- [244] Wong, T.T., Yang, N.Y., and Chen, G.H., (2020), “Hybrid classification algorithms based on instance filtering”, *Information Sciences*, **520**, pp. 445-455.
- [245] Woznaik, M., (2014), “Classifier Hybridization. In Proceedings of book, Hybrid Classifiers”, *Studies in Computational Intelligence*, **519**, pp. 95-140.
- [246] Wu, X., Tang, Y., and Bu, W., (2014), “Offline text-independent writer identification based on scale invariant feature transformation” *IEEE Transaction on Information Forensic Security*, **9(3)**, pp. 526–536
- [247] Xiong, Y. J., and Lu. Y., (2017), “Offline Text-Independent Writer Recognition: A Survey”, *International Journal of Pattern Recognition and Artificial Intelligence*, **31(5)**, pp. 1-32.
- [248] Yang, W., Jin, L., and Liu, M., (2016), “DeepWriterID: An End-to-end Online Text-independent Writer Identification System”, *IEEE Intelligent Systems*, pp. 1-7.
- [249] Yang, B., Zhang, Y., Liu, Z., Jiang, X., and Xu, M., (2019), “Handwriting posture prediction based on unsupervised model”, *Pattern Recognition*, **100**, 107093, pp. 1-25.
- [250] Yang, Y., Tam, F., Graham, S.J., Sun, G., Li, J., Gu, C., Tao, R., Wang, N., Bi, H. N., Yan, H., and Zuo, Z., (2020), “Men and women differ in the neural basis of handwriting”, *Human Brain Mapping*, 24968, pp. 1-17, doi:10.1002/hbm.24968

-
- [251] Yiu, T., (2019), “Understanding Random Forest, How the Algorithm Works and Why it Is So Effective”, *Towards Data Science*, <https://towardsdatascience.com/understanding-random-forest-58381e0602d2>.
- [252] Youssef, A.E., Ibrahim, A.S., Abbott, and A.L., (2013). “Automated Gender identification for Arabic and English handwriting”, *Proc. 5th International conference on Imaging for Crime Detection and Prevention*, London, pp. 1-6.
- [253] Zhang, T.Y., and Suen, C.Y., (1984), “A fast parallel algorithm for thinning digital patterns”. *Communications of the ACM*, **27(3)**, pp. 236–239, DOI:10.1145/357994.358023
- [254] Zhang, B., Srihari, S., and Lee, S., (2003). “Individuality of Handwritten Characters, *Proc. 7th International Conference of Document Analysis and Recognition*, Edinburgh, UK, pp. 1086-1090.
- [255] Zhang, X. Y., Bengio, Y., Liu, and C. L., (2017), “Online and Offline handwritten Chinese Character Recognition: A Comprehensive Study and Benchmark”, *Pattern Recognition*, **61**, pp. 348-360.
- [256] Zhu, Y., and Wang, Y., (2016), “An offline text-independent writer identification system with SAE feature extraction”, *Proc. International Congress on Progress in Informatics and Computing*, Shanghai, China, pp. 432-436.

LIST OF PUBLICATIONS BY THE AUTHOR

Publications in SCI Indexed Journals:

1. Dargan S, Kumar M (2020). A Comprehensive survey on the biometric recognition systems based on physiological and behavioral modalities, *Expert Systems with Applications*,143:1-75,113114,ISSN0957-4174. **(SCI Indexed with Impact Factor: 5.452)**<https://doi.org/10.1016/j.eswa.2019.113114>
2. Dargan S, Kumar M (2019). Writer Identification System for Indic and Non-Indic Scripts: State-of-the-Art-Survey. *Archives of Computational Methods in Engineering*, 26, 1283–1311. **(SCI Indexed with Impact Factor: 6.730)**<https://doi.org/10.1007/s11831-018-9278-z>
3. Dargan S, Kumar M (2019). Gender Classification Based on Handwritten Text: A Deep Survey, Critical Analysis and Open Issues. *Journal of Ambient Intelligence & Humanized Computing (Under Review)* (SCI Indexed with Impact Factor: 4.594)
4. Dargan S, Kumar M (2020). Gender Classification System: A Forensic move with Behavioural Biometric Modality. *Soft Computing (Under Review)* (SCI Indexed with Impact Factor: 3.050)
5. Dargan S, Kumar M (2020). PCA based Gender Classification System with Hybridization of Feature Extraction Methods. *Journal of Ambient Intelligence & Humanized Computing. (Revised Version Submitted)* (SCI Indexed with Impact Factor: 4.594)

Publications in International Conferences Proceedings (IEEE):

1. Dargan S, Kumar M (2020) Writer Identification System based on Offline text in Gurumukhi characters. *In Proceedings of the Sixth **IEEE** International Conference on Parallel, Distributed, Grid Computing (PDGC)*, Jaypee University of Information Technology, Wahnaghat, Solan, Himachal Pradesh, India, pp. 544-549, doi: 10.1109/PDGC50313.2020.9315842.
2. Dargan S, Kumar M (2021). Gender Classification and Writer Identification System based on Handwriting in Gurumukhi Script. *In Proceedings of **IEEE** International Conference on Computing, Communication, and Intelligent Systems (ICCCI)*, Sharda University, Greater Noida, India, 1-6.