

| Content | Page No. |
|-----------------------------------|-----------------|
| Title page | i |
| Candidates declaration | ii |
| Abstract | iii-vii |
| Acknowledgements | viii-ix |
| Dedication | x |
| Table of contents | xi-xxiv |
| List of figures | xxv-xxix |
| List of tables | xxx-xxxiii |
| List of publications during Ph.D. | xxxiv-xlii |
| List of abbreviations | xlili-xlvi |

| | |
|-------------------------------------------------------------------------------------|-------------|
| CHAPTER-1: INTRODUCTION | 1-23 |
| 1.1. Malaria: The prevalence. | 1 |
| 1.2. Malaria: The disease. | 2-3 |
| 1.3. Malaria: The therapeutic armamentarium. | 3-5 |
| 1.4. The artemisinins. | 5-8 |
| 1.5. Solubility enhancement: The integrated approaches for formulation development. | 8-19 |
| 1.6. Quality by Design. | 19-23 |

| | |
|-------------------------------------------------------------------------|--------------|
| CHAPTER-2: REVIEW OF LITERATURE | 24-63 |
| 2.1. Malaria. | 24 |
| 2.2. History of malaria. | 25 |
| 2.3. Treatment of malaria. | 26 |
| 2.4. Arteether. | 29 |
| 2.5. Solubility of arteether. | 32 |
| 2.6. Solubility enhancement techniques. | 32 |
| 2.7. Inclusion complexation using cyclodextrin for improved solubility. | 35 |
| 2.8. Nano-formulation for solubility enhancement. | 42 |
| 2.9. Solid Lipid Nanoparticles. | 44 |
| 2.10. Nanostructured Lipid Carriers. | 45 |
| 2.11. Self-Micro Emulsifying Drug Delivery System. | 47 |
| 2.12. Extrusion /spheronization. | 49 |

| | | |
|-------------------------------------------------------|---------------------------------------------------------------------------------------------|--------|
| 2.13. | Enteric coated tablets/ capsules. | 50 |
| 2.14. | Design of Experiment and Total Quality Management using QbD. | 51 |
| 2.15 | Relevant studies at mentor's lab | |
| CHAPTER-3: RESEARCH ENVISAGED AND PLAN OF WORK | | 59-64 |
| 3.1. | Problem formulation. | 59 |
| 3.1.1. | Research formulation. | 59 |
| 3.2. | Aim and objective. | 59-60 |
| 3.2.1. | Aim | 59 |
| 3.2.2. | Specific research objectives [As approved by Department Doctoral Research Committee (DDRC)] | 60 |
| 3.3. | Plan of work. | 60-64 |
| 3.3.1. | Methodology adopted. | 60-64 |
| 3.4. | The expected outcomes. | 64 |
| CHAPTER-4: MATERIALS AND METHODS | | 64-117 |
| 4.1. | Materials. | 64-67 |
| 4.2. | Calibration of glassware and instruments. | 68 |
| 4.2.1. | Calibration of thermometer. | 68 |
| 4.2.2. | Calibration of measuring cylinder. | 68 |
| 4.2.3. | Calibration of analytical balance. | 68 |
| 4.2.4. | Calibration of pipettes. | 68 |
| 4.2.5. | Calibration of pH meter. | 68 |
| 4.2.6. | Calibration of UV spectrophotometer. | 68 |
| 4.3. | Preformulation studies. | 69-80 |
| 4.3.1. | Drug identification. | 69 |
| 4.3.2. | Physical appearance. | 69 |
| 4.3.3. | Melting point. | 70 |
| 4.3.4. | Solubility studies. | 70 |
| 4.3.5. | FT-IR spectroscopy. | 70 |
| 4.3.6. | DSC analysis. | 70 |
| 4.3.7. | XRD analysis. | 70-71 |
| 4.3.8. | Quantitative analysis using UV spectroscopy. | 71-74 |
| 4.3.8.1. | Standard stock solution. | 71 |
| 4.3.8.2. | Design of method. | 72 |

| | | |
|--------------|--------------------------------------------------------|-------|
| 4.3.8.3. | Development of method. | 72 |
| 4.3.8.4. | Risk assessment. | 72 |
| 4.3.8.5. | Experiment Design. | 72-73 |
| 4.3.8.6 | Method design output. | 73-74 |
| 4.3.8.7. | Validation of Experimental Design. | 74 |
| 4.3.8.8. | Condition for spectroscopy. | 74 |
| 4.3.8.9. | Method validation. | 74-76 |
| 4.3.8.9.1. | Linearity analysis. | 75 |
| 4.3.8.9.2. | Precision. | 75 |
| 4.3.8.9.3. | Accuracy. | 75 |
| 4.3.8.9.4. | Robustness and ruggedness. | 75-76 |
| 4.3.8.9.5. | Detection and quantification limits (UV spectroscopy). | 76 |
| 4.3.9. | Quantitative analysis using HPLC. | 76-80 |
| 4.3.9.1. | HPLC method design. | 76 |
| 4.3.9.2. | HPLC method performance ratios. | 76 |
| 4.3.9.3. | Understanding HPLC method. | 76 |
| 4.3.9.4. | HPLC method risk assessment. | 76-77 |
| 4.3.9.5. | HPLC method experimental design. | 77-80 |
| 4.3.9.5.1. | HPLC method design output. | 77-78 |
| 4.3.9.5.2. | Chromatography conditions. | 78-79 |
| 4.3.9.5.3. | Validation of the proposed HPLC method. | 79-80 |
| 4.3.9.5.3.1. | Linearity (HPLC method). | 79 |
| 4.3.9.5.3.2. | Precision (HPLC method). | 79 |
| 4.3.9.5.3.3. | Accuracy (HPLC method). | 79-80 |
| 4.3.9.5.3.4. | Robustness (HPLC method) | 80 |
| 4.3.9.5.3.5. | Detection and quantification limits | 80 |

| | | |
|------------|------------------------------------------------------------------------|--------|
| | (HPLC method). | |
| | 4.3.9.5.3.6. Percentage purity (HPLC method). | 80 |
| 4.4. | Solubility enhancement techniques. | 80-87 |
| 4.4.1. | Hydrotropic solubilization of arteether. | 80-81 |
| 4.4.1.1 | Mixed hydrotropic solubilization. | 81 |
| 4.4.2. | Solid Dispersion. | 81-83 |
| 4.4.2.1. | Solvent evaporation method. | 81-82 |
| 4.4.2.2. | Melting procedure. | 82 |
| 4.4.2.3. | Characterization of solid dispersion and hydrotropic solid dispersion. | 82-83 |
| 4.4.2.4. | Permeability studies of prepared solid dispersion. | 83 |
| 4.4.3. | Cyclodextrin complexation. | 83-87 |
| 4.4.3.1. | Optimization of prepared cyclodextrin complexes. | 83-84 |
| 4.4.3.2. | Analysis of phase solubility of ART-CD complex. | 84 |
| 4.4.3.3. | Preparation of ART - β -CD both binary and ternary complexes. | 84-85 |
| 4.4.3.4. | Evaluation of CD inclusion complexes. | 85-87 |
| 4.4.3.4.1. | Percentage of practical yield of ART-CD complex. | 85-86 |
| 4.4.3.4.2. | Dissolution test analysis of ART-CD complex. | 86 |
| 4.4.3.4.3. | Drug content of ART-CD complex. | 86 |
| 4.4.3.4.4. | Saturation solubility study of ART-CD complex. | 86 |
| 4.4.3.4.5. | Scanning Electron Microscopy analysis of ART-CD complex. | 86-87 |
| 4.4.3.4.6. | Study of X-ray Diffraction of ART-CD complex. | 87 |
| 4.4.3.4.7. | Differential Scanning Calorimetry of ART-CD complex. | 87 |
| 4.5. | Formulation development and characterization. | 87-117 |
| 4.5.1. | Formulation optimization and development of SLNs. | 87-92 |

| | | |
|------------|-----------------------------------------------------------------------------|-------|
| 4.5.1.1 | Risk assessment studies for preparation of SLNs. | 87 |
| 4.5.1.2. | Outlining Quality Target Product Profile and CQAs for preparation of SLNs. | 87-88 |
| 4.5.1.3. | Preparation of solid lipid nanoparticles. | 88 |
| 4.5.1.4. | Optimization of SLNs by Design of experiments. | 88-89 |
| 4.5.1.5. | Physicochemical characterization of ART-loaded SLN. | 89-92 |
| 4.5.1.5.1. | Particle size analysis and polydispersity index studies of ART-loaded SLNs. | 89 |
| 4.5.1.5.2. | Morphology of ART-loaded SLNs. | 89 |
| 4.5.1.5.3. | Entrapment Efficiency % of ART-loaded SLNs. | 90 |
| 4.5.1.5.4. | Determination of total drug content of ART-loaded SLNs. | 90 |
| 4.5.1.5.5. | Determination of pH of lyophilized ART-loaded SLNs. | 90 |
| 4.5.1.5.6. | Particle size analysis of lyophilized ART-loaded SLNs. | 90 |
| 4.5.1.5.7. | Flow properties of lyophilized ART-loaded SLNs. | 90-92 |
| 4.5.1.5.8. | <i>In-vitro</i> release studies of lyophilized ART-loaded SLNs. | 92 |
| 4.5.2. | Formulation development, optimization, and characterization of NLCs. | 92-96 |
| 4.5.2.1. | Risk assessment studies of NLCs. | 92-96 |
| 4.5.2.2. | Outlining quality target product profile and CQAs of NLCs. | 93 |
| 4.5.2.3. | Preparation of ART Loaded NLCs. | 93 |
| 4.5.2.4. | Central composite design for systematic optimization of NLCs. | 94 |
| 4.5.2.5. | Characterization of optimized NLCs. | 94-96 |
| 4.5.2.5.1. | Particle size, zeta potential, and PDI of NLCs. | 94 |
| 4.5.2.5.2. | Evaluation of surface topography of | 95 |

| | | |
|-------------|------------------------------------------------------------------------|--------|
| | lyophilized NLCs. | |
| 4.5.2.5.3. | Flow properties of lyophilized NLCs. | 95 |
| 4.5.2.5.4. | Drug entrapped and drug loading of lyophilized NLCs. | 95 |
| 4.5.2.5.5. | Drug release studies of lyophilized NLCs. | 95-96 |
| 4.5.3. | Self-Micro Emulsifying Drug Delivery Systems (SMEDDS). | 96-104 |
| 4.5.3.1. | Formulation optimization and development of SMEDDS. | 96-97 |
| 4.5.3.1.1. | Risk assessment studies of SMEDDS. | 96 |
| 4.5.3.1.2. | Outlining Quality Target Product Profile (QTPP) and CQAs of SMEDDS. | 96 |
| 4.5.3.1.3. | CMA of SMEDDS. | 96 |
| 4.5.3.1.4. | CPP of SMEDDS. | 97 |
| 4.5.3.2. | Formulation development, optimization, and characterization of SMEDDS. | 97-100 |
| 4.5.3.2.1. | Equilibrium solubility studies of ART. | 97 |
| 4.5.3.2.2. | Constituents of SMEDDS. | 98-99 |
| 4.5.3.2.2.1 | Solubility studies for screening of oil. | 98 |
| 4.5.3.2.2.2 | Surfactant screening through emulsification. | 98 |
| 4.5.3.2.2.3 | Emulsification of the maximal oil quantity Possible. | 98-99 |
| 4.5.3.2.2.4 | Co-surfactant screening through emulsification. | 99 |
| 4.5.3.2.2.5 | Emulsification of the maximal oil quantity possible with both | 99 |

| | | |
|-------------|-----------------------------------------------------------------------------------|---------|
| | surfactant and cosurfactant. | |
| 4.5.3.2.3. | Construction of ternary phase diagram. | 99 |
| 4.5.3.2.4. | Drug-excipients compatibility studies for preparation of SMEDDS. | 100 |
| 4.5.3.3. | SMEDDS development. | 100-104 |
| 4.5.3.3.1. | Selection of design for SMEDDS. | 101 |
| 4.5.3.3.2. | Visual evaluation of SMEDDS. | 101-102 |
| 4.5.3.3.3. | Size of globules and zeta potential of SMEDDS. | 102 |
| 4.5.3.3.4. | Determination of percentage drug entrapped in SMEDDS. | 102 |
| 4.5.3.3.5. | High-resolution Transmission Electron Microscopy of SMEDDS. | 102 |
| 4.5.3.3.6. | Determination of total drug content of SMEDDS. | 102 |
| 4.5.3.3.7. | Determination of pH of prepared SMEDDS. | 103 |
| 4.5.3.3.8. | Determination of drug release (%) from SMEDDS. | 103 |
| 4.5.3.3.9. | Thermodynamic stability studies/stability under centrifugation of SMEDDS. | 103 |
| 4.5.3.3.10. | Encapsulation of solid SMEDDS loading in enteric-coated capsule shells. | 103-104 |
| 4.5.4. | Encapsulating of spheroids containing CD complexed ART in enteric capsule shells. | 104-108 |
| 4.5.4.1 | Evaluation of spheroids containing CD inclusion complexed ART. | 104 |
| 4.5.4.2. | QbD-based analysis for the optimization development of spheroids. | 105-106 |
| 4.5.4.3. | Physicochemical characterization of optimized spheroids. | 107-108 |

| | | |
|-------------------|--------------------------------------------------------------------------------------------------|----------------|
| 4.5.4.3.1. | Flow properties of ART-CD spheroids. | 107 |
| 4.5.4.3.2. | Disintegration time of ART-CD spheroids. | 107-108 |
| 4.5.4.3.3 | <i>In -Vitro</i> drug release from ART-CD spheroids. | 108 |
| 4.5.5. | Enteric-coated tablets. | 108-117 |
| 4.5.5.1. | Quality profiling and identification of QTPP, CQAs, and CPPs of enteric coated tablets. | 108-109 |
| 4.5.5.2. | Risk assessment of enteric coated tablets. | 109 |
| 4.5.5.3. | Formulation development of enteric-coated tablets. | 109-111 |
| 4.5.5.4. | Formulation by Design strategy for optimization of critical variables of enteric coated tablets. | 111-112 |
| 4.5.5.5. | Defining of design space for enteric coated tablets. | 112 |
| 4.5.5.6. | Validation of model of enteric coated tablets. | 112 |
| 4.5.5.7. | In-process quality control evaluation of enteric coated tablets. | 112-113 |
| 4.5.5.7.1. | Flow properties of enteric coated tablets premix powder. | 113 |
| 4.5.5.8. | Finished product quality control evaluation of enteric coated tablets. | 113-114 |
| 4.5.5.8.1. | Weight variation test of enteric coated tablets. | 113 |
| 4.5.5.8.2. | Hardness of enteric coated tablets. | 113 |
| 4.5.5.8.3. | Friability of enteric coated tablets. | 114 |
| 4.5.5.8.4 | Content uniformity of enteric coated tablets | 114 |
| 4.5.5.9. | <i>In -vitro</i> release studies of the enteric-coated tablets. | 114-115 |
| 4.5.5.10. | Permeability studies of prepared formulations. | 115 |
| 4.5.5.11. | <i>Ex-vivo</i> studies of prepared formulations. | 115-116 |
| 4.5.5.12. | <i>In- vivo</i> studies of prepared formulations. | 116-117 |
| 4.5.5.12.1. | Sample preparation. | 116 |
| 4.5.5.12.2. | Pharmacokinetics and biostatistics. | 116-117 |
| Chapter- 5 | RESULTS AND DISCUSSIONS | 118-222 |

| | | |
|------------|-------------------------------------------------------------|---------|
| 5.1. | Calibration of glassware and instruments. | 118 |
| 5.1.1. | Calibration of thermometer. | 118 |
| 5.1.2. | Calibration of measuring cylinder. | 118 |
| 5.1.3. | Calibration of analytical balance. | 118-119 |
| 5.1.4. | Calibration of pipettes. | 119 |
| 5.1.5. | Calibration of pH meter. | 119 |
| 5.1.6. | Calibration of UV spectrophotometer. | 120-121 |
| 5.1.6.1. | Limit of stray light. | 120 |
| 5.1.6.2. | Resolution power. | 120 |
| 5.1.6.3. | Control of absorbance. | 120-121 |
| 5.2. | Preformulation study. | 121-139 |
| 5.2.1. | Physical appearance. | 121 |
| 5.2.2. | Melting point. | 121 |
| 5.2.3. | Solubility studies. | 121-122 |
| 5.2.4. | FT-IR spectroscopy. | 122 |
| 5.2.4.1. | FT-IR analysis of ART. | 122 |
| 5.2.5. | DSC analysis. | 122 |
| 5.2.5.1. | DSC of ART. | 122 |
| 5.2.6. | XRD analysis of ART. | 123 |
| 5.2.7. | UV spectroscopy. | 124-132 |
| 5.2.7.1. | Determination of wavelength. | 125 |
| 5.2.7.2. | Experimental design. | 125-127 |
| 5.2.7.3. | Statistical optimization data analysis based on QbD. | 127 |
| 5.2.7.4. | Equating responses are equated in terms of coded variables. | 127-129 |
| 5.2.7.5. | Experimental model validation. | 130-132 |
| 5.2.7.5.1. | Linearity. | 130 |
| 5.2.7.5.2. | Precision. | 130-131 |
| 5.2.7.5.3. | Accuracy. | 131 |
| 5.2.7.5.4. | Robustness. | 131 |
| 5.2.7.5.5. | LOD and LOQ. | 131-132 |
| 5.2.8. | Quantitation of ART using HPLC method. | 132-139 |
| 5.2.8.1. | Experimental design optimization and response | 132-133 |

| | | |
|------------|-----------------------------------------------------------------------------|---------|
| | surface methodology for HPLC method. | |
| 5.2.8.2. | ANOVA-based statistical analysis for HPLC method. | 134-136 |
| 5.2.8.3. | The proposed model's point prediction and validation. | 136-139 |
| 5.2.8.3.1. | Linearity (HPLC method). | 137-138 |
| 5.2.8.3.2. | Accuracy (HPLC method). | 138 |
| 5.2.8.3.3. | Precision (HPLC method). | 138-139 |
| 5.2.8.3.4. | Precision (intraday and interday) (HPLC method). | 139 |
| 5.2.8.3.5. | Limit of detection (LOD) and limit of quantification (LOQ) (HPLC method). | 139 |
| 5.3. | Solubility enhancement. | 140-157 |
| 5.3.1. | Characterization of prepared hydrotropic solid dispersions. | 140 |
| 5.3.1.1. | Solubility studies of prepared hydrotropic solid dispersion. | 140 |
| 5.3.2. | Differential scanning calorimetry of prepared hydrotropic solid dispersion. | 140-141 |
| 5.3.3. | FT-IR spectroscopy of prepared hydrotropic solid dispersion. | 141-142 |
| 5.3.4. | X-Ray diffraction studies of prepared hydrotropic solid dispersion. | 142 |
| 5.3.5. | Characterization of prepared solid dispersions. | 143-150 |
| 5.3.5.1. | Solubility studies of the prepared solid dispersions. | 143-145 |
| 5.3.5.2. | Dissolution studies of the prepared solid dispersions. | 145-146 |
| 5.3.5.3. | Differential scanning calorimetry of the prepared solid dispersions. | 146-147 |
| 5.3.5.4. | FT-IR spectroscopy of the prepared solid dispersions. | 148-149 |
| 5.3.5.5. | X-Ray diffraction studies of the prepared solid dispersions. | 149 |
| 5.3.5.6. | Permeability studies of the prepared solid dispersions. | 150 |

| | | |
|------------|----------------------------------------------------------------------|---------|
| 5.3.6. | Preparation and characterization of inclusion complexes. | 150-157 |
| 5.3.6.1. | Solubility studies of inclusion complexes. | 151 |
| 5.3.6.2. | Dissolution studies of inclusion complexes. | 151-152 |
| 5.3.6.3. | FT-IR spectroscopy of inclusion complexes. | 152-153 |
| 5.3.6.4. | Mass spectroscopy of inclusion complexes. | 153-154 |
| 5.3.6.5. | Differential scanning calorimetry of inclusion complexes. | 154-155 |
| 5.3.6.6. | SEM image analysis of ART and inclusion complexes. | 155-157 |
| 5.4. | Formulation development. | 158-218 |
| 5.4.1. | Formulation development, optimization, and characterization of SLNs. | 158-172 |
| 5.4.1.1. | Formulation development and optimization of SLNs. | 158-161 |
| 5.4.1.1.1. | Risk assessment studies of SLNs. | 158 |
| 5.4.1.1.2. | Outlining quality target product profile and CQAs of SLNs. | 158-159 |
| 5.4.1.1.3. | Preparation of SLNs. | 159 |
| 5.4.1.1.4. | Selection of lipids for SLNs. | 160 |
| 5.4.1.1.5. | Risk assessment studies for SLNs. | 160-161 |
| 5.4.1.1.6. | Design of Experiments for SLNs. | 161 |
| 5.4.1.2. | Optimization and development of SLNs. | 161-172 |
| 5.4.1.2.1. | DoE-based optimization of selected factors. | 161-162 |
| 5.4.1.2.2. | Statistical analysis of data of SLNs. | 162-163 |
| 5.4.1.2.3. | Effect of the variables on entrapment efficiency of SLNs. | 163-164 |
| 5.4.1.2.4. | Effect of the variables on particle size of SLNs. | 164-165 |
| 5.4.1.2.5. | Overlay plot and validation of model of SLNs. | 165-166 |
| 5.4.1.2.6. | Preparation of solid SLNs. | 166 |
| 5.4.1.2.7. | Physicochemical characterization of | 166-170 |

| | | |
|--------------|------------------------------------------------------------------------------------|---------|
| | lyophilized ART- loaded SLNs. | |
| | 5.4.1.2.7.1. Particle size distribution of lyophilized SLNs. | 167 |
| | 5.4.1.2.7.2. Surface morphology of lyophilized SLNs. | 167-168 |
| | 5.4.1.2.7.3. XRD of lyophilized SLNs. | 168 |
| | 5.4.1.2.7.4. Entrapment efficiency % of lyophilized SLNs. | 168 |
| | 5.4.1.2.7.5. pH of lyophilized SLNs. | 168 |
| | 5.4.1.2.7.6. Particle size distribution of lyophilized SLNs. | 169 |
| | 5.4.1.2.7.7. Shape of lyophilized SLNs. | 169-170 |
| | 5.4.1.2.7.8. <i>In-vitro</i> drug release of lyophilized SLNs. | 170 |
| | 5.4.1.3. Discussion on SLNs. | 171-172 |
| 5.4.2. | Formulation development, optimization and characterization of nano lipid colloids. | 172-182 |
| 5.4.2.1. | Formulation, optimization and development. | 172-182 |
| 5.4.2.1.1. | Selection of lipids for NLCs. | 172 |
| 5.4.2.1.2. | Risk assessment studies for NLCs. | 172-175 |
| 5.4.2.1.3. | Reduced quadratic Model – ANOVA for preparation of NLCs. | 175-178 |
| 5.4.2.1.4. | Validation of the proposed model for NLCs. | 178 |
| 5.4.2.1.5. | Formulation development of NLCs. | 179 |
| 5.4.2.1.6. | Characterization of NLCs. | 179-182 |
| 5.4.2.1.6.1. | Morphology of NLCs. | 179-180 |
| 5.4.2.1.6.2. | Particle size distribution of lyophilized NLCs. | 180 |

| | | |
|--------------|------------------------------------------------------------------------------------------------------------|---------|
| 5.4.2.1.6.3. | Shape of lyophilized NLCs. | 180-181 |
| 5.4.2.1.6.4. | Entrapment efficiency in lyophilized NLCs. | 181 |
| 5.4.2.1.6.5. | <i>In -vitro</i> drug release of lyophilized NLCs. | 181-182 |
| 5.4.2.2. | Discussion on ART-NLC. | 182 |
| 5.4.3. | Formulation development, optimization and characterization of self micro emulsified drug delivery systems. | 182-196 |
| 5.4.3.1. | Formulation optimization and development for SMEDDS. | 182-192 |
| 5.4.3.1.1. | Equilibrium solubility studies for SMEDDS. | 182-183 |
| 5.4.3.1.2. | Solubility in solvents, oils, and surfactants for SMEDDS. | 183-185 |
| 5.4.3.1.3. | Construction of the ternary phase diagram for SMEDDS. | 185-187 |
| 5.4.3.1.4. | Risk assessment studies of SMEDDS. | 187-189 |
| 5.4.3.1.5. | Selection of design of SMEDDS. | 189-192 |
| 5.4.3.1.5.1. | Measurement of dependent responses for SMEDDS. | 189-190 |
| 5.4.3.1.5.2. | ANOVA based statistical analysis of data for SMEDDS. | 190-191 |
| 5.4.3.1.5.3. | Overlay plot and validation of the model for SMEDDS. | 191-192 |
| 5.4.3.2. | Characterization of SMEDDS. | 192-195 |
| 5.4.3.2.1. | Visual appearance of SMEDDS. | 192 |
| 5.4.3.2.2. | Microscopic image of SMEDDS. | 193 |
| 5.4.3.2.3. | Globule size analysis of SMEDDS. | 193 |

| | | | |
|--------|------------|-----------------------------------------------------------------------------------------------|---------|
| | 5.4.3.2.4. | Shape of solidified-SMEDDS. | 194-195 |
| | 5.4.3.2.5. | <i>In- vitro</i> drug release of S-SMEDDS. | 195 |
| | 5.4.3.3. | Discussion on SMEDDS. | 195-196 |
| 5.4.4. | | Formulation development optimization and characterization of CD complex containing spheroids. | 196-207 |
| | 5.4.4.1. | Experimental design optimization and response surface methodology for spheroids. | 196-197 |
| | 5.4.4.2. | Equation of responses in terms of coded factors for spheroids. | 198 |
| | 5.4.4.3. | ANOVA-based statistical analysis for spheroids. | 198-201 |
| | 5.4.4.4. | Overlay plot and defining the design space for spheroids. | 201-202 |
| | 5.4.4.5. | Point prediction and validation of developed model for spheroids. | 202 |
| | 5.4.4.6. | Flow properties of spheroids. | 202-204 |
| | 5.4.4.7. | <i>In-vitro</i> drug release of CD complex containing spheroids. | 204-205 |
| | 5.4.4.8. | Morphology of CD complex containing spheroids. | 205-206 |
| | 5.4.4.9. | Discussion on spheroids. | 206-207 |
| 5.4.5. | | Formulation development, optimization, and characterization of enteric coated tablets. | 207-218 |
| | 5.4.5.1. | Statistical optimization of enteric-coated tablets. | 207-208 |
| | 5.4.5.2. | Selection of critical ingredients using Plackett-Burman design for enteric-coated tablets. | 208 |
| | 5.4.5.3. | Response surface methodology for enteric-coated tablets. | 209 |
| | 5.4.5.4. | Statistical analysis of mathematical model for enteric-coated tablets. | 209-210 |
| | 5.4.5.5. | ANOVA for quadratic model for enteric-coated tablets containing CD complexed ART. | 210-212 |
| | 5.4.5.6. | Contour plots and optimization for enteric-coated tablets | 212-213 |

| | | |
|----------------------------------|------------------------------------------------------------------------|---------|
| 5.4.5.7. | Validation of model for enteric-coated tablets. | 213-215 |
| 5.4.5.8. | Evaluation of enteric-coated tablets. | 215-218 |
| 5.4.5.8.1. | Particle size distribution. | 215 |
| 5.4.5.8.2. | Flow properties of powder (IPQC). | 215-216 |
| 5.4.5.8.3. | Finished product quality control evaluation of enteric coated tablets. | 216-217 |
| 5.4.5.8.4. | Discussion on enteric coated tablets. | 218 |
| 5.5. | Comparative permeability studies of prepared formulations. | 219 |
| 5.6. | Pharmacokinetic study of ART and all prepared formulations. | 220-221 |
| 5.7. | Antimalarial activity. | 221-222 |
| 6. SUMMARY AND CONCLUSION | | 223-228 |
| BIBLIOGRAPHY | | 229-259 |
| Brief Bio-data | | |